
2018 - CORE QUESTIONNAIRE OF THE REPORTING INSTRUMENT OF WHO FCTC

Survey response 1

submitdate. Date submitted
2018-03-29 14:21:55
firstname. First name
Lenka
lastname. Last name
Kosteleckà
email. Email address
Lenka.Kostelecka@mzcr.cz
attribute_1. Country
Czech Republic
attribute_2. Language
en

A. ORIGIN OF THE REPORT

A1. Name of contracting Party: {TOKEN:ATTRIBUTE_1}
A2. Information on national contact responsible for preparation of the report:
A2a. Title
Ms
A2a[other]. Title [Other]
A2b. Family name
Kostelecká
A2c. First name
Lenka
A2d. Full name of institution
Ministry of Health of the Czech Republic
A2e[A122]. Mailing address [Mailing address 1]
Palackého nám. 4
A2e[A123]. Mailing address [Mailing address 2]
A2e[A124]. Mailing address [Post code]
128 01
A2e[A125]. Mailing address [Post box]

A2e[A126]. Mailing address [City]	Prague 2
A2f. Country	Czech Republic
A2g. E-mail	lenka.kostelecka@mzcr.cz
A2h. Alternative email address	ozs@mzcr.cz
A2i. Telephone number	+ 420 224 972 169
A2j. Fax number	+420 224 972 111
A3. Signature of government official submitting the report:	
A3a. Title	Other
A3a[other]. Title [Other]	Deputy minister for Health Care
A3b. Family name	Prymula
A3c. First name	Roman
A3d. Full name of institution	Ministry of Health of the Czech Republic
A3e[A122]. Mailing address [Mailing address 1]	Palackého nám. 4
A3e[A123]. Mailing address [Mailing address 2]	
A3e[A124]. Mailing address [Post code]	128 01
A3e[A125]. Mailing address [Post box]	
A3e[A126]. Mailing address [City]	Prague 2
A3f. Country	Czech Republic
A3g. E-mail	roman.prymula@mzcr.cz
A3h. Alternative email address	nz@mzcr.cz
A3i. Telephone number	+420 224 972 458

A3j. Fax number
+420 224 972 111
A3k. Web page
www.mzcr.cz
A4[SQ001][1]. Period of reporting: [Start date][Scale 1]
January
A4[SQ001][2]. Period of reporting: [Start date][Scale 2]
2016
A4[SQ002][1]. Period of reporting: [End date][Scale 1]
March
A4[SQ002][2]. Period of reporting: [End date][Scale 2]
2018
test. Please click on this link to go to the additional questions{TOKEN:FIRSTNAME}https://extranet.who.int/dataform/survey/index/sid/992964/newtest/Y/lang/en

B1. TOBACCO CONSUMPTION

B1. Prevalence of tobacco use
B11. Smoking prevalence in the adult population (all) (Please provide prevalence data for total adult population, and identify the age considered, e.g. 15 years old and over, 18-64 years; see B112)
B11A[1_SQ001]. Current smokers [MALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
35.0
B11A[1_SQ002]. Current smokers [MALE][Average number of the most-consumed smoking tobacco product used per day]
8.4
B11A[2_SQ001]. Current smokers [FEMALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
22.5
B11A[2_SQ002]. Current smokers [FEMALE][Average number of the most-consumed smoking tobacco product used per day]
6.4
B11A[3_SQ001]. Current smokers [TOTAL (males and females)][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
28.6
B11A[3_SQ002]. Current smokers [TOTAL (males and females)][Average number of the most-consumed smoking tobacco product used per day]
7.6
B11B[1_SQ001]. Daily smokers [MALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
23.8
B11B[1_SQ002]. Daily smokers [MALE][Average number of the most-consumed smoking tobacco product used per day]
11.8
B11B[2_SQ001]. Daily smokers [FEMALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
15.6
B11B[2_SQ002]. Daily smokers [FEMALE][Average number of the most-consumed smoking tobacco product used per day]
8.7

B11B[3_SQ001]. Daily smokers [TOTAL (males and females)][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	19.6
B11B[3_SQ002]. Daily smokers [TOTAL (males and females)][Average number of the most-consumed smoking tobacco product used per day]	10.6
B11C[1_SQ001]. Occasional smokers [MALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	11.1
B11C[2_SQ001]. Occasional smokers [FEMALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	6.9
B11C[3_SQ001]. Occasional smokers [TOTAL (males and females)][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	9.0
B11D[1_SQ001]. Former smokers [MALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	16.3
B11D[2_SQ001]. Former smokers [FEMALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	14.4
B11D[3_SQ001]. Former smokers [TOTAL (males and females)][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	15.3
B11E[1_SQ001]. Never smokers [MALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	48.8
B11E[2_SQ001]. Never smokers [FEMALE][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	63.1
B11E[3_SQ001]. Never smokers [TOTAL (males and females)][Prevalence (%) (please include all smoking tobacco products in prevalence data)]	56.1
B111. Please indicate the smoking tobacco products included in calculating prevalence for question B11:	Cigarettes, cigars/cigarillos, pipes, water pipes
B112[1_SQ001]. Please indicate the age range to which the data used to answer question B11 refer: [Age range][From]	15
B112[1_SQ002]. Please indicate the age range to which the data used to answer question B11 refer: [Age range][To]	100
B113A. Please indicate the year of the data used to answer question B11:	2016
B113B. Please indicate the source of the data used to answer question B11:	The use of tobacco and alcohol in the Czech Republic 2016 (Survey report). Vanova A., Skyvova M., Csemy L., National Institute of Public Health in Prague 2017, http://www.szu.cz/uploads/documents/szu/aktual/uzivani_tabaku_2016_konecny_17_7.pdf?highlightWords=u%C5%BE%C3%ADv%C3%A1n%C3%AD+tab%C3%A1ku+2016
B114[SQ001]. Please provide the definitions of “current smoker”, “daily smoker”, “occasional smoker”, “former smoker” and “never smoker” used in this report. [Current smoker]	person who currently smokes tobacco over a period of a month or more
B114[SQ002]. Please provide the definitions of “current smoker”, “daily smoker”, “occasional smoker”, “former smoker” and “never smoker” used in this report. [Daily smoker]	person who currently smokes tobacco daily over a period of a month or more

B114[SQ003]. Please provide the definitions of “current smoker”, “daily smoker”, “occasional smoker”, “former smoker” and “never smoker” used in this report. [Occasional smoker]
person who currently smokes tobacco less than on a daily basis

B114[SQ004]. Please provide the definitions of “current smoker”, “daily smoker”, “occasional smoker”, “former smoker” and “never smoker” used in this report. [Former smoker]
person who smoked in the past and currently does not smoke tobacco

B114[SQ005]. Please provide the definitions of “current smoker”, “daily smoker”, “occasional smoker”, “former smoker” and “never smoker” used in this report. [Never smoker]
person who never smoked or smoked in rare instances of smoking or experimented with smoking (tried once or twice in lifetime).

B115. Please provide a brief explanation of the trend in smoking prevalence in the adult population in the past two years or since submission of your last report.
The smoking trend since 2014 has fallen from 31.4% to 28.6%. There is a statistically significant difference in the number of smokers by sex. In the group of daily smokers, we notice significantly fewer smokers-women than smokers-men. Gradually smokers reduce the number of smoked cigarettes during the day.

B12[B12a_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - start age]
15

B12[B12a_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - end age]
24

B12[B12a_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
39

B12[B12b_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - start age]
25

B12[B12b_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - end age]
34

B12[B12b_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
37

B12[B12c_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - start age]
35

B12[B12c_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - end age]
44

B12[B12c_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
37

B12[B12d_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - start age]
45

B12[B12d_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - end age]

54

B12[B12d_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

40

B12[B12e_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - start age]

55

B12[B12e_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - end age]

64

B12[B12e_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

31

B12[B12ee_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - start age]

65

B12[B12ee_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - end age]

100

B12[B12ee_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

27

B12[B12eee_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - start age]

B12[B12eee_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - end age]

B12[B12eee_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B12[B12eeee_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - start age]

B12[B12eeee_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Range - end age]

B12[B12eeee_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B12[B12f_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - start age]

15

B12[B12f_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - end age]

24

B12[B12f_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

30

B12[B12g_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - start age]

25

B12[B12g_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - end age]

34

B12[B12g_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

21

B12[B12h_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - start age]

35

B12[B12h_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - end age]

44

B12[B12h_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

24

B12[B12i_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - start age]

45

B12[B12i_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - end age]

54

B12[B12i_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

29

B12[B12j_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - start age]

55

B12[B12j_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - end age]

64

B12[B12j_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

25

B12[B12jj_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - start age]

65

B12[B12jj_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - end age]

100

B12[B12jj_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

13

B12[B12jjj_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - start age]

B12[B12jjj_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - end age]

B12[B12jjj_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B12[B12jjjj_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - start age]

B12[B12jjjj_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Range - end age]

B12[B12jjjj_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B12[B12k_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - start age]

15

B12[B12k_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - end age]

24

B12[B12k_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

35

B12[B12l_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - start age]

25

B12[B12l_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - end age]

34

B12[B12l_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

29

B12[B12m_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - start age]

35

B12[B12m_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - end age]

44

B12[B12m_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

31

B12[B12n_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - start age]

45

B12[B12n_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - end age]

54

B12[B12n_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

34

B12[B12o_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - start age]

55

B12[B12o_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - end age]

64

B12[B12o_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

28

B12[B12oo_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - start age]

65

B12[B12oo_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - end age]

100

B12[B12oo_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

19

B12[B12ooo_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - start age]

B12[B12ooo_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - end age]

B12[B12ooo_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B12[B12oooo_B12x1]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - start age]

B12[B12oooo_B12x3]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Range - end age]

B12[B12oooo_B12x2]. Smoking prevalence in the adult population (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers1][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B121. Please indicate the smoking tobacco products included in calculating prevalence for question B12:

Cigarettes, cigars/cigarillos, pipes, water pipes; Note to B12: prevalence data in B12 rounded to whole numbers.

B122A. Please indicate the year of the data used to answer question B12:

2016

B122B. Please indicate the source of the data used to answer question B12:

The use of tobacco and alcohol in the Czech Republic 2016 (Survey report). Vanova A., Skyvova M., Csemy L., National Institute of Public Health in Prague 2017, http://www.szu.cz/uploads/documents/szu/aktual/uzivani_tabaku_2016_konecny_17_7.pdf?highLightWords=u%C5%BE%C3%ADv%C3%A1n%C3%AD+tab%C3%A1ku+2016

B123. Please provide a brief explanation of the trend in current smoking prevalence by age group in the past two years or since submission of your last report, if data are available.

In 2016, smoking prevalence was highest in the age group 15-24 (34.6%) and in the age group 45-54 (34.3%), and the lowest in the last age group 65+ (18.6%).

B13. Prevalence of smokeless tobacco use in the adult population (all) (Please provide prevalence data for total adult population, and identify the age considered in B132, e.g. 15 years old and over, 18–64 years; see B132)

B13A[1_B13x1]. Males [Current users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
3.7

B13A[2_B13x1]. Males [Daily users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
1.6

B13A[3_B13x1]. Males [Occasional users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
2.1

B13A[4_B13x1]. Males [Former users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
4.7

B13A[5_B13x1]. Males [Never users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
95.3

B13B[1_B13x1]. Females [Current users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
1.5

B13B[2_B13x1]. Females [Daily users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
0.4

B13B[3_B13x1]. Females [Occasional users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
1.1

B13B[4_B13x1]. Females [Former users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
1.6

B13B[5_B13x1]. Females [Never users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
98.4

B13C[1_B13x1]. TOTAL (males and females) [Current users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
2.6

B13C[2_B13x1]. TOTAL (males and females) [Daily users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
1.0

B13C[3_B13x1]. TOTAL (males and females) [Occasional users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
1.6

B13C[4_B13x1]. TOTAL (males and females) [Former users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
3.1

B13C[5_B13x1]. TOTAL (males and females) [Never users][Prevalence (%) (please include all smokeless tobacco products in prevalence data)]
96.9

B131. Please indicate the smokeless tobacco products included in calculating prevalence for question B13:
Smokeless tobacco products for snuffing, chewing or sucking

B132[1_SQ001]. Please indicate the age range to which the data used to answer question B13 refer: [Age range][From]
15

B132[1_SQ002]. Please indicate the age range to which the data used to answer question B13 refer: [Age range][To]
100

B133A. Please indicate the year of the data used to answer question B13:
2016

B133B. Please indicate the source of the data used to answer question B13:
The use of tobacco and alcohol in the Czech Republic 2016 (Survey report). Vanova A., Skyvova M., Csemy L., National Institute of Public Health in Prague 2017, http://www.szu.cz/uploads/documents/szu/aktual/uzivani_tabaku_2016_konecny_17_7.pdf?highLightWords=u%C5%BE%C3%ADv%C3%A1n%C3%AD+tab%C3%A1ku+2016
B134[SQ001]. Please provide the definitions of “current user”, “daily user”, “occasional user”, “former user” and “never user” (of smokeless tobacco products) used in this report in the space below. [Current user]
person who currently uses smokeless tobacco over a period of a month or more
B134[SQ002]. Please provide the definitions of “current user”, “daily user”, “occasional user”, “former user” and “never user” (of smokeless tobacco products) used in this report in the space below. [Daily user]
person who currently uses smokeless tobacco daily over a period of a month or more
B134[SQ003]. Please provide the definitions of “current user”, “daily user”, “occasional user”, “former user” and “never user” (of smokeless tobacco products) used in this report in the space below. [Occasional user]
person who currently uses smokeless tobacco less than on a daily basis
B134[SQ004]. Please provide the definitions of “current user”, “daily user”, “occasional user”, “former user” and “never user” (of smokeless tobacco products) used in this report in the space below. [Former user]
person who used smokeless tobacco in the past and currently does not use smokeless tobacco
B134[SQ005]. Please provide the definitions of “current user”, “daily user”, “occasional user”, “former user” and “never user” (of smokeless tobacco products) used in this report in the space below. [Never user]
person who never used smokeless tobacco or used it in rare instances or experimented with using (tried once or twice in lifetime)
B135. Please provide a brief explanation of the trend in smokeless tobacco use in the adult population in the past two years or since submission of your last report.
In 2016, the use of smokeless tobacco products in the monitored sample of the population is very limited. Current users account for 2.6%, of which only 1% of users use smokeless tobacco daily. Men use these products more often than women.
B14[B12a_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - start age]
15
B14[B12a_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - end age]
24
B14[B12a_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
7
B14[B12b_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - start age]
25
B14[B12b_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - end age]
34
B14[B12b_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]
5
B14[B12c_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - start age]
35

B14[B12c_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - end age]

44

B14[B12c_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

3

B14[B12d_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - start age]

45

B14[B12d_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - end age]

54

B14[B12d_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

3

B14[B12e_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - start age]

55

B14[B12e_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - end age]

64

B14[B12e_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

3

B14[B12ee_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - start age]

65

B14[B12ee_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - end age]

100

B14[B12ee_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

3

B14[B12eee_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - start age]

B14[B12eee_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - end age]

B14[B12eee_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B14[B12eeee_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - start age]

B14[B12eeee_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Range - end age]

B14[B12eeee_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [MALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B14[B12f_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - start age]

15

B14[B12f_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - end age]

24

B14[B12f_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

5

B14[B12g_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - start age]

25

B14[B12g_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - end age]

34

B14[B12g_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

1

B14[B12h_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - start age]

35

B14[B12h_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - end age]

44

B14[B12h_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

1

B14[B12i_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - start age]

45

B14[B12i_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - end age]

54

B14[B12i_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

2

B14[B12j_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - start age]

55

B14[B12j_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - end age]

64

B14[B12j_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

1

B14[B12jj_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - start age]

65

B14[B12jj_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - end age]

100

B14[B12jj_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

1

B14[B12jjj_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - start age]

B14[B12jjj_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - end age]

B14[B12jjj_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B14[B12jjj_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - start age]

B14[B12jjj_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Range - end age]

B14[B12jjj_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [FEMALES - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B14[B12k_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - start age]

15

B14[B12k_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - end age]

24

B14[B12k_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

6

B14[B12l_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - start age]

25

B14[B12l_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - end age]

34

B14[B12l_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

3

B14[B12m_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - start age]

35

B14[B12m_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - end age]

44

B14[B12m_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

2

B14[B12n_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - start age]

45

B14[B12n_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - end age]

54

B14[B12n_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

3

B14[B12o_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - start age]

55

B14[B12o_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - end age]

64

B14[B12o_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

2

B14[B12oo_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - start age]

65

B14[B12oo_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - end age]

100

B14[B12oo_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

1

B14[B12ooo_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - start age]

B14[B12000_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - end age]

B14[B12000_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B14[B120000_B12x1]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - start age]

B14[B120000_B12x3]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Range - end age]

B14[B120000_B12x2]. Prevalence of smokeless tobacco use in the adult population (current users) by age group (by age groups) (If data are available, please provide prevalence data by age group, and identify the age group considered, preferably by 10-year categories, e.g. 25-34, 35-44 years) [TOTAL (males and females) - current smokers2][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B141. Please indicate the smokeless tobacco products included in the answer to question B14:

Smokeless tobacco products for snuffing, chewing or sucking; Note to B14: prevalence data in B14 rounded to whole numbers.

B142A. Please indicate the year of the data used to answer question B14:

2016

B142B. Please indicate the source of the data used to answer question B14:

The use of tobacco and alcohol in the Czech Republic 2016 (Survey report). Vanova A., Skyvova M., Csemy L., National Institute of Public Health in Prague 2017, http://www.szu.cz/uploads/documents/szu/aktual/uzivani_tabaku_2016_konecny_17_7.pdf?highLightWords=u%C5%BE%C3%ADv%C3%A1n%C3%AD+tab%C3%A1ku+2016

B143. Please provide a brief explanation of the trend in current use of smokeless tobacco by adult age groups in the past two years or since submission of your last report.

Still, most users of smokeless products are in the 15-24 age group. In 2016, there was a change from the previous report. According to the 2014 data, more girls/young women than boys/young men used smokeless products in this age category (6.3% vs. 5.0%). In 2016, there was a higher prevalence of use of smokeless tobacco products among boys/young men than girls/young women (6.8% vs. 5.2%).

B15[B15a_B15x1]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][Ethnic group(s)]

Roma population (smoking 5-7x/week/

B15[B15a_B15x2]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][MALES - Prevalence (%)]

71.0

B15[B15a_B15x3]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][FEMALES - Prevalence (%)]

61.3

B15[B15a_B15x4]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][TOTAL (males and females) - Prevalence (%)]

66.1

B15[B15b_B15x1]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][Ethnic group(s)]

B15[B15b_B15x2]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][MALES - Prevalence (%)]

B15[B15b_B15x3]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][FEMALES - Prevalence (%)]

B15[B15b_B15x4]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][TOTAL (males and females) - Prevalence (%)]

B15[B15c_B15x1]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][Ethnic group(s)]

B15[B15c_B15x2]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][MALES - Prevalence (%)]

B15[B15c_B15x3]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][FEMALES - Prevalence (%)]

B15[B15c_B15x4]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][TOTAL (males and females) - Prevalence (%)]

B15[B15d_B15x1]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][Ethnic group(s)]

B15[B15d_B15x2]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][MALES - Prevalence (%)]

B15[B15d_B15x3]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][FEMALES - Prevalence (%)]

B15[B15d_B15x4]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][TOTAL (males and females) - Prevalence (%)]

B15[B15e_B15x1]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][Ethnic group(s)]

B15[B15e_B15x2]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][MALES - Prevalence (%)]

B15[B15e_B15x3]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][FEMALES - Prevalence (%)]

B15[B15e_B15x4]. Tobacco use by ethnic group(s) (please include all smoking or smokeless tobacco products in prevalence data) [Current users 3][TOTAL (males and females) - Prevalence (%)]

B151. Please indicate the tobacco products included in the answer to question B15:

Cigarettes, cigars, pipe (smoking 5-7x/week)

B152[1_SQ001]. Please indicate the age range to which the data used to answer question B15 refer: [Age range][From]

15

B152[1_SQ002]. Please indicate the age range to which the data used to answer question B15 refer: [Age range][To]
100

B153A. Please indicate the year of the data used to answer question B15:
2017

B153B. Please indicate the source of the data used to answer question B15:
National Monitoring Centre for Drugs and Addiction Office of the Government of the Czech Republic;Annual Report: The Czech republic drug situation 2016 + www.drogy-info.cz;Available: <https://www.drogy-info.cz/drogova-situace-2016/32594-uzivani-drog-v-populaci-2016/32594-uzivani-drog-ve-specifickych-skupinach-populace-2016/32594-uzivani-navykovych-latek-meziromy-2016/>

B16[B16a_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][Age range]
13-15

B16[B16a_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKING TOBACCO - Prevalence (%)]
18.4

B16[B16a_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]
6.4

B16[B16a_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]
10.4

B16[B16b_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][Age range]

B16[B16b_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16b_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16b_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16c_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][Age range]

B16[B16c_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16c_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16c_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16d_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][Age range]

B16[B16d_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16d_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16d_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16e_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][Age range]

B16[B16e_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16e_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16e_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16ee_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][Age range]

B16[B16ee_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16ee_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16ee_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16eee_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][Age range]

B16[B16eee_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16eee_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16eee_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16eeee_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][Age range]

B16[B16eeee_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16eeee_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16eeee_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [BOYS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16f_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][Age range]

13-15

B16[B16f_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

20.0

B16[B16f_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

2.8

B16[B16f_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

7.8

B16[B16g_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][Age range]

B16[B16g_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16g_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16g_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16h_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][Age range]

B16[B16h_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16h_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16h_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16i_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][Age range]

B16[B16i_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16i_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16i_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16j_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][Age range]

B16[B16j_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16j_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16j_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16jj_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][Age range]

B16[B16jj_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16jj_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16jj_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16jjj_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][Age range]

B16[B16jjj_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16jjj_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16jjj_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16jjjj_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][Age range]

B16[B16jjjj_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16jjjj_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16jjjj_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [GIRLS - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16k_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][Age range]

13-15

B16[B16k_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKING TOBACCO - Prevalence (%)]
19.2

B16[B16k_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]
4.7

B16[B16k_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]
9.1

B16[B16l_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][Age range]

B16[B16l_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16l_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16l_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16m_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][Age range]

B16[B16m_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16m_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16m_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16n_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][Age range]

B16[B16n_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16n_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16n_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16o_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][Age range]

B16[B16o_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16o_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16o_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16oo_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][Age range]

B16[B16oo_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16oo_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16oo_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16ooo_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][Age range]

B16[B16ooo_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16ooo_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16ooo_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B16[B16oooo_B16x1]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][Age range]

B16[B16oooo_B16x2]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKING TOBACCO - Prevalence (%)]

B16[B16oooo_B16x3]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][SMOKELESS TOBACCO - Prevalence (%)]

B16[B16oooo_B16x4]. Tobacco use by young persons (please include all smoking or smokeless tobacco products in prevalence data) [TOTAL (boys and girls) - Current users 4][OTHER TOBACCO (eg. water pipe) - Prevalence (%)]

B161. Please indicate the tobacco products included in calculating prevalence for question B16:
Smoking tobacco: cigarettes (produced + hand rolled), pipes, cigars, cigarillos, water pipe
Smokeless tobacco: snuff, chewing tobacco
Other tobacco: Smoked tobacco other than cigarettes

B162A. Please indicate the year of the data used to answer question B16:
2016

B162B. Please indicate the source of the data used to answer question B16:
GYTS - Global Youth Tobacco Survey
2016;http://www.szu.cz/uploads/documents/czzp/zavislosti/koureni/Country_Report_2016_GYTS.1.2018.pdf

B163. Please provide the definition of “current smoking/tobacco use” used to answer question B16 in the space below.
 Current user – smoking tobacco: person who smoked tobacco anytime during the past 30 days.
 Current user – smokeless tobacco: person who used smokeless tobacco during the past 30 days.
 Current user – other tobacco: person who smoked tobacco other than cigarettes anytime during the past 30 days

B164. Please provide a brief explanation of the trend in tobacco use by young persons in the past two years or since submission of your last report.
 21,2% of students, 21,3% of boys, and 21,1% of girls currently use any tobacco products. Prevalence of cigarette smoking was relatively stable in years 2002 (34,6%) to 2011 (30,6%). Statistically significant decrease was observed in the last round of GYTS 2016 (15,2%). This fact needs further investigation. In comparison to significant decrease in prevalence of current users – smoking tobacco, the susceptibility of never smokers to start smoking in future remains approximately the same.

B165. Please attach the relevant documentation.
 [{"title": "The use of tobacco and alcohol in the Czech Republic in 2014 - survey report", "comment": "", "size": "1286.706", "name": "Tobacco_and_Alcohol_in_the_Czech_Republic_2014.pdf", "filename": "fu_d83fgs4kwvmqmx", "ext": ".pdf"}]

B165[filecount]. filecount - Please attach the relevant documentation.
 0

B11new[SQ001_SQ001]. Male [Current smokers][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B11new[SQ001_SQ002]. Male [Current smokers][Average number of the most-consumed smoking tobacco product used per day]

B11new[SQ002_SQ001]. Male [Daily smokers][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B11new[SQ002_SQ002]. Male [Daily smokers][Average number of the most-consumed smoking tobacco product used per day]

B11new[SQ003_SQ001]. Male [Occasional smokers][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B11new[SQ003_SQ002]. Male [Occasional smokers][Average number of the most-consumed smoking tobacco product used per day]

B11new[SQ004_SQ001]. Male [Former smokers][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B11new[SQ004_SQ002]. Male [Former smokers][Average number of the most-consumed smoking tobacco product used per day]

B11new[SQ005_SQ001]. Male [Never smokers][Prevalence (%) (please include all smoking tobacco products in prevalence data)]

B11new[SQ005_SQ002]. Male [Never smokers][Average number of the most-consumed smoking tobacco product used per day]

B2-B9. HEALTH, SOCIAL AND ECONOMIC INDICATORS

B2. Exposure to tobacco smoke

B21. Do you have any data on exposure to tobacco smoke in your population?
 Yes

B22. Please provide details in the space below (e.g. exposure by gender, at home, in the workplace, on public transport).

Approximately 19% of respondents are exposed to tobacco smoke in their homes, out of which 8.8% are non-smokers. The youngest age group of 15-24 years old still constitutes the highest share of those. Compared to 2015, an increase in total number of smokers exposed to smoke at home (15.2% vs. 19%) in non-smokers is a minor difference compared to 2015. Men are exposed to tobacco smoke in the workplace more than twice as much as women, as well as for smokers and non-smokers. Compared to 2015, the number of non-smokers exposed to tobacco smoke (20% vs. 15.2%) increased. The persistently high percentage of non-smokers exposed to smoke in indoor workplaces will need to be further monitored in connection with the introduction of measures to protect them.

B23A. Please indicate the year of the data used to answer question B21:

2016

B23B. Please indicate the source of the data used to answer question B21:

The use of tobacco and alcohol in the Czech Republic 2016 (Survey report). Vanova A., Skyvova M., Csemy L., National Institute of Public Health in Prague 2017, http://www.szu.cz/uploads/documents/szu/aktual/uzivani_tabaku_2016_konecny_17_7.pdf?highLightWords=u%C5%BE%C3%ADv%C3%A1n%C3%AD+tab%C3%A1ku+2016

B24. Please attach the relevant documentation.

B24[filecount]. filecount - Please attach the relevant documentation.

0

B3. Tobacco-related mortality

B31. Do you have information on tobacco-related mortality in your population?

No

B32. What is the estimated total number of deaths attributable to tobacco use in your population?

B33. If available, please provide any additional information on mortality attributable to tobacco use (e.g. lung cancer, cardiovascular diseases) in your jurisdiction.

Cause-specific mortality is available, e.g. (2016):
Lung cancer: 5,316 deaths
Diseases of the circulatory system: 47,611 deaths

B34A. Please indicate the year of the data used to answer question B32 and 33:

2016

B34B. Please indicate the source of the data used to answer questions B32 and B33:

Czech Statistical Office - Deaths by List of Causes of Death, Gender and Age in the Czech Republic, Regions and Districts - 2007 to 2016

B35. Please submit a copy of the study you refer to:

B35[filecount]. filecount - Please submit a copy of the study you refer to:

0

B4. Tobacco-related costs

B41. Do you have information on the economic burden of tobacco use in your population, e.g. the overall cost of tobacco use imposed on your society?

Yes

B42. Please provide details (e.g. direct (health care-related) and indirect costs and, if possible, the method used to estimate these costs).

Unfortunately, there is no detailed economic analysis of tobacco related costs in the country. According to indirect estimates it may be at least 77-103 billion CZK/year, as EU ASPECT study estimated in 2000.

Available are also studies:

Social costs of alcohol, tobacco and illicit drug use in the Czech Republic in 2007

The study provides an estimate of the social costs of the use of the aforementioned substances - alcohol, tobacco and illicit drugs - in the Czech Republic in the year 2007

Social costs of use of tobacco in the Czech Republic in 2007 are according to the study estimated at 33,1 milliards CZK

Beside a critical analysis of methodology of the Philip Morris study, Ross, an economist, offers properly calculated data of the cost of smoking in the Czech Republic (Ross H. Critique of the Philip Morris study of the cost of smoking in the Czech Republic.

Nicotine Tob Res. 2004 Feb;6(1):181-9).

Etc.

B43A. Please indicate the year of the data used to answer question B42:

2007

B43B. Please indicate the source of the data used to answer question B42:

Zábranský, T., Běláčková, V., Štefunková, M., Vopravil, J., & Langrová, M. (2011). Společenské náklady užívání alkoholu, tabáku a nelegálních drog v ČR v roce 2007. Centrum adiktologie, PK 1. LF UK v Praze a VFN v Praze, Praha. ISBN:

978-80-260-1680-9,(Available on-line: <http://www.adiktologie.cz/cz/articles/detail/342/3727/Spolecenske-naklady-uzivani-alkoholu-tabaku-a-nelegalnich-drog-v-CR-v-roce-2007>);European Commission. Tobacco or health in the European Union – Past, present and future. 2004 ISBN 92-894-8219-2 (Available on-line: <http://bookshop.europa.eu/en/tobacco-or-health-in-the-european-union-pbND6204446/>);Ross H. Critique of the Philip Morris study of the cost of smoking in the Czech Republic. Nicotine Tob Res. 2004 Feb;6(1):181-9.

B44. Please submit a copy of the study you refer to:

B44[filecount]. filecount - Please submit a copy of the study you refer to:

0

B5. Supply of tobacco and tobacco products (with reference to Articles 6.2(b), 20.4(c), and 15.5)

B51[B51a_B51x1]. Licit supply of tobacco products [Smoking tobacco products][Product]

cigarettes

B51[B51a_B51x2]. Licit supply of tobacco products [Smoking tobacco products][Unit (e.g. pieces, tonnes)]

mil pieces

B51[B51a_B51x3]. Licit supply of tobacco products [Smoking tobacco products][Domestic production]

7874

B51[B51a_B51x4]. Licit supply of tobacco products [Smoking tobacco products][Retail sales]

20772

B51[B51a_B51x5]. Licit supply of tobacco products [Smoking tobacco products][Exports]

2800*

B51[B51a_B51x6]. Licit supply of tobacco products [Smoking tobacco products][Imports]

159*

B51[B51b_B51x1]. Licit supply of tobacco products [Smoking tobacco products][Product]

cigars,cigarillos

B51[B51b_B51x2]. Licit supply of tobacco products [Smoking tobacco products][Unit (e.g. pieces, tonnes)]

mil pieces

B51[B51b_B51x3]. Licit supply of tobacco products [Smoking tobacco products][Domestic production]

6.2

B51[B51b_B51x4]. Licit supply of tobacco products [Smoking tobacco products][Retail sales]
104.5
B51[B51b_B51x5]. Licit supply of tobacco products [Smoking tobacco products][Exports]
0.76*
B51[B51b_B51x6]. Licit supply of tobacco products [Smoking tobacco products][Imports]
53*
B51[B51c_B51x1]. Licit supply of tobacco products [Smoking tobacco products][Product]
smoking tobacco
B51[B51c_B51x2]. Licit supply of tobacco products [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
tonnes
B51[B51c_B51x3]. Licit supply of tobacco products [Smoking tobacco products][Domestic production]
292
B51[B51c_B51x4]. Licit supply of tobacco products [Smoking tobacco products][Retail sales]
1,4
B51[B51c_B51x5]. Licit supply of tobacco products [Smoking tobacco products][Exports]
24*
B51[B51c_B51x6]. Licit supply of tobacco products [Smoking tobacco products][Imports]
30*
B51[B51cc_B51x1]. Licit supply of tobacco products [Smoking tobacco products][Product]
water pipe tobacco
B51[B51cc_B51x2]. Licit supply of tobacco products [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
tonnes
B51[B51cc_B51x3]. Licit supply of tobacco products [Smoking tobacco products][Domestic production]
B51[B51cc_B51x4]. Licit supply of tobacco products [Smoking tobacco products][Retail sales]
7.9
B51[B51cc_B51x5]. Licit supply of tobacco products [Smoking tobacco products][Exports]
B51[B51cc_B51x6]. Licit supply of tobacco products [Smoking tobacco products][Imports]
B51[B51ccc_B51x1]. Licit supply of tobacco products [Smoking tobacco products][Product]
B51[B51ccc_B51x2]. Licit supply of tobacco products [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51ccc_B51x3]. Licit supply of tobacco products [Smoking tobacco products][Domestic production]
B51[B51ccc_B51x4]. Licit supply of tobacco products [Smoking tobacco products][Retail sales]
B51[B51ccc_B51x5]. Licit supply of tobacco products [Smoking tobacco products][Exports]
B51[B51ccc_B51x6]. Licit supply of tobacco products [Smoking tobacco products][Imports]

B51[B51cccc_B51x1]. Licit supply of tobacco products [Smoking tobacco products][Product]
B51[B51cccc_B51x2]. Licit supply of tobacco products [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51cccc_B51x3]. Licit supply of tobacco products [Smoking tobacco products][Domestic production]
B51[B51cccc_B51x4]. Licit supply of tobacco products [Smoking tobacco products][Retail sales]
B51[B51cccc_B51x5]. Licit supply of tobacco products [Smoking tobacco products][Exports]
B51[B51cccc_B51x6]. Licit supply of tobacco products [Smoking tobacco products][Imports]
B51[B51d_B51x1]. Licit supply of tobacco products [Smokeless tobacco products][Product] Chewing and Snuff tobacco
B51[B51d_B51x2]. Licit supply of tobacco products [Smokeless tobacco products][Unit (e.g. pieces, tonnes)] tonnes
B51[B51d_B51x3]. Licit supply of tobacco products [Smokeless tobacco products][Domestic production]
B51[B51d_B51x4]. Licit supply of tobacco products [Smokeless tobacco products][Retail sales] 40.1
B51[B51d_B51x5]. Licit supply of tobacco products [Smokeless tobacco products][Exports]
B51[B51d_B51x6]. Licit supply of tobacco products [Smokeless tobacco products][Imports]
B51[B51e_B51x1]. Licit supply of tobacco products [Smokeless tobacco products][Product]
B51[B51e_B51x2]. Licit supply of tobacco products [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51e_B51x3]. Licit supply of tobacco products [Smokeless tobacco products][Domestic production]
B51[B51e_B51x4]. Licit supply of tobacco products [Smokeless tobacco products][Retail sales]
B51[B51e_B51x5]. Licit supply of tobacco products [Smokeless tobacco products][Exports]
B51[B51e_B51x6]. Licit supply of tobacco products [Smokeless tobacco products][Imports]
B51[B51f_B51x1]. Licit supply of tobacco products [Smokeless tobacco products][Product]
B51[B51f_B51x2]. Licit supply of tobacco products [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51f_B51x3]. Licit supply of tobacco products [Smokeless tobacco products][Domestic production]

B51[B51f_B51x4]. Licit supply of tobacco products [Smokeless tobacco products][Retail sales]
B51[B51f_B51x5]. Licit supply of tobacco products [Smokeless tobacco products][Exports]
B51[B51f_B51x6]. Licit supply of tobacco products [Smokeless tobacco products][Imports]
B51[B51ff_B51x1]. Licit supply of tobacco products [Smokeless tobacco products][Product]
B51[B51ff_B51x2]. Licit supply of tobacco products [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51ff_B51x3]. Licit supply of tobacco products [Smokeless tobacco products][Domestic production]
B51[B51ff_B51x4]. Licit supply of tobacco products [Smokeless tobacco products][Retail sales]
B51[B51ff_B51x5]. Licit supply of tobacco products [Smokeless tobacco products][Exports]
B51[B51ff_B51x6]. Licit supply of tobacco products [Smokeless tobacco products][Imports]
B51[B51fff_B51x1]. Licit supply of tobacco products [Smokeless tobacco products][Product]
B51[B51fff_B51x2]. Licit supply of tobacco products [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51fff_B51x3]. Licit supply of tobacco products [Smokeless tobacco products][Domestic production]
B51[B51fff_B51x4]. Licit supply of tobacco products [Smokeless tobacco products][Retail sales]
B51[B51fff_B51x5]. Licit supply of tobacco products [Smokeless tobacco products][Exports]
B51[B51fff_B51x6]. Licit supply of tobacco products [Smokeless tobacco products][Imports]
B51[B51ffff_B51x1]. Licit supply of tobacco products [Smokeless tobacco products][Product]
B51[B51ffff_B51x2]. Licit supply of tobacco products [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51ffff_B51x3]. Licit supply of tobacco products [Smokeless tobacco products][Domestic production]
B51[B51ffff_B51x4]. Licit supply of tobacco products [Smokeless tobacco products][Retail sales]
B51[B51ffff_B51x5]. Licit supply of tobacco products [Smokeless tobacco products][Exports]
B51[B51ffff_B51x6]. Licit supply of tobacco products [Smokeless tobacco products][Imports]

B51[B51g_B51x1]. Licit supply of tobacco products [Other tobacco products][Product]
Tobacco wasre means remnants
B51[B51g_B51x2]. Licit supply of tobacco products [Other tobacco products][Unit (e.g. pieces, tonnes)]
tonnes
B51[B51g_B51x3]. Licit supply of tobacco products [Other tobacco products][Domestic production]
B51[B51g_B51x4]. Licit supply of tobacco products [Other tobacco products][Retail sales]
4,2
B51[B51g_B51x5]. Licit supply of tobacco products [Other tobacco products][Exports]
B51[B51g_B51x6]. Licit supply of tobacco products [Other tobacco products][Imports]
B51[B51h_B51x1]. Licit supply of tobacco products [Other tobacco products][Product]
Tobacco substitutes
B51[B51h_B51x2]. Licit supply of tobacco products [Other tobacco products][Unit (e.g. pieces, tonnes)]
tonnes
B51[B51h_B51x3]. Licit supply of tobacco products [Other tobacco products][Domestic production]
B51[B51h_B51x4]. Licit supply of tobacco products [Other tobacco products][Retail sales]
82
B51[B51h_B51x5]. Licit supply of tobacco products [Other tobacco products][Exports]
B51[B51h_B51x6]. Licit supply of tobacco products [Other tobacco products][Imports]
B51[B51i_B51x1]. Licit supply of tobacco products [Other tobacco products][Product]
Unprocessed tobacco
B51[B51i_B51x2]. Licit supply of tobacco products [Other tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51i_B51x3]. Licit supply of tobacco products [Other tobacco products][Domestic production]
B51[B51i_B51x4]. Licit supply of tobacco products [Other tobacco products][Retail sales]
B51[B51i_B51x5]. Licit supply of tobacco products [Other tobacco products][Exports]
B51[B51i_B51x6]. Licit supply of tobacco products [Other tobacco products][Imports]
6932*
B51[B51ii_B51x1]. Licit supply of tobacco products [Other tobacco products][Product]
B51[B51ii_B51x2]. Licit supply of tobacco products [Other tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51ii_B51x3]. Licit supply of tobacco products [Other tobacco products][Domestic production]

B51[B51ii_B51x4]. Licit supply of tobacco products [Other tobacco products][Retail sales]
B51[B51ii_B51x5]. Licit supply of tobacco products [Other tobacco products][Exports]
B51[B51ii_B51x6]. Licit supply of tobacco products [Other tobacco products][Imports]
B51[B51iii_B51x1]. Licit supply of tobacco products [Other tobacco products][Product]
B51[B51iii_B51x2]. Licit supply of tobacco products [Other tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51iii_B51x3]. Licit supply of tobacco products [Other tobacco products][Domestic production]
B51[B51iii_B51x4]. Licit supply of tobacco products [Other tobacco products][Retail sales]
B51[B51iii_B51x5]. Licit supply of tobacco products [Other tobacco products][Exports]
B51[B51iii_B51x6]. Licit supply of tobacco products [Other tobacco products][Imports]
B51[B51iii_B51x1]. Licit supply of tobacco products [Other tobacco products][Product]
B51[B51iii_B51x2]. Licit supply of tobacco products [Other tobacco products][Unit (e.g. pieces, tonnes)]
B51[B51iii_B51x3]. Licit supply of tobacco products [Other tobacco products][Domestic production]
B51[B51iii_B51x4]. Licit supply of tobacco products [Other tobacco products][Retail sales]
B51[B51iii_B51x5]. Licit supply of tobacco products [Other tobacco products][Exports]
B51[B51iii_B51x6]. Licit supply of tobacco products [Other tobacco products][Imports]
B51[B51j_B51x1]. Licit supply of tobacco products [Tobacco leaves][Product] tobacco leaves
B51[B51j_B51x2]. Licit supply of tobacco products [Tobacco leaves][Unit (e.g. pieces, tonnes)] tonnes
B51[B51j_B51x3]. Licit supply of tobacco products [Tobacco leaves][Domestic production]
B51[B51j_B51x4]. Licit supply of tobacco products [Tobacco leaves][Retail sales]
B51[B51j_B51x5]. Licit supply of tobacco products [Tobacco leaves][Exports]
B51[B51j_B51x6]. Licit supply of tobacco products [Tobacco leaves][Imports] 727*

B52. Please provide information on the volumes of duty-free sales (e.g. product, unit, quantity), if available.
not applicable
B53A. Please indicate the year of the data used to answer question B51 and 52:
2017
B53B. Please indicate the source of the data used to answer questions B51 and B52:
inventory of tobacco stamps, Customs Administration Database; Explanatory Note to B51: * EU intra trade excluded
B54. Please attach the relevant documentation.
B54[filecount]. filecount - Please attach the relevant documentation.
0
B6. Seizures of illicit tobacco products (with reference to Article 15.5)
B61[B61a_B61x1]. Seizures of illicit tobacco [Smoking tobacco products][Year]
2016
B61[B61a_B61x2]. Seizures of illicit tobacco [Smoking tobacco products][Product]
Cigarettes
B61[B61a_B61x3]. Seizures of illicit tobacco [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
pieces
B61[B61a_B61x4]. Seizures of illicit tobacco [Smoking tobacco products][Quantity seized]
25591150
B61[B61b_B61x1]. Seizures of illicit tobacco [Smoking tobacco products][Year]
2016
B61[B61b_B61x2]. Seizures of illicit tobacco [Smoking tobacco products][Product]
Tobacco
B61[B61b_B61x3]. Seizures of illicit tobacco [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
kg
B61[B61b_B61x4]. Seizures of illicit tobacco [Smoking tobacco products][Quantity seized]
90755
B61[B61c_B61x1]. Seizures of illicit tobacco [Smoking tobacco products][Year]
2016
B61[B61c_B61x2]. Seizures of illicit tobacco [Smoking tobacco products][Product]
Cigars, cigarillos
B61[B61c_B61x3]. Seizures of illicit tobacco [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
pieces
B61[B61c_B61x4]. Seizures of illicit tobacco [Smoking tobacco products][Quantity seized]
744503
B61[B61cc_B61x1]. Seizures of illicit tobacco [Smoking tobacco products][Year]
2017
B61[B61cc_B61x2]. Seizures of illicit tobacco [Smoking tobacco products][Product]
Cigarettes
B61[B61cc_B61x3]. Seizures of illicit tobacco [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
pieces

B61[B61cc_B61x4]. Seizures of illicit tobacco [Smoking tobacco products][Quantity seized]
2522634
B61[B61ccc_B61x1]. Seizures of illicit tobacco [Smoking tobacco products][Year]
2017
B61[B61ccc_B61x2]. Seizures of illicit tobacco [Smoking tobacco products][Product]
Tobacco
B61[B61ccc_B61x3]. Seizures of illicit tobacco [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
kg
B61[B61ccc_B61x4]. Seizures of illicit tobacco [Smoking tobacco products][Quantity seized]
27274
B61[B61cccc_B61x1]. Seizures of illicit tobacco [Smoking tobacco products][Year]
B61[B61cccc_B61x2]. Seizures of illicit tobacco [Smoking tobacco products][Product]
B61[B61cccc_B61x3]. Seizures of illicit tobacco [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61cccc_B61x4]. Seizures of illicit tobacco [Smoking tobacco products][Quantity seized]
B61[B61cccc_B61x1]. Seizures of illicit tobacco [Smoking tobacco products][Year]
B61[B61cccc_B61x2]. Seizures of illicit tobacco [Smoking tobacco products][Product]
B61[B61cccc_B61x3]. Seizures of illicit tobacco [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61cccc_B61x4]. Seizures of illicit tobacco [Smoking tobacco products][Quantity seized]
B61[B61cccc_B61x1]. Seizures of illicit tobacco [Smoking tobacco products][Year]
B61[B61cccc_B61x2]. Seizures of illicit tobacco [Smoking tobacco products][Product]
B61[B61cccc_B61x3]. Seizures of illicit tobacco [Smoking tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61cccc_B61x4]. Seizures of illicit tobacco [Smoking tobacco products][Quantity seized]
B61[B61d_B61x1]. Seizures of illicit tobacco [Smokeless tobacco products][Year]
B61[B61d_B61x2]. Seizures of illicit tobacco [Smokeless tobacco products][Product]
B61[B61d_B61x3]. Seizures of illicit tobacco [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61d_B61x4]. Seizures of illicit tobacco [Smokeless tobacco products][Quantity seized]

B61[B61e_B61x1]. Seizures of illicit tobacco [Smokeless tobacco products][Year]
B61[B61e_B61x2]. Seizures of illicit tobacco [Smokeless tobacco products][Product]
B61[B61e_B61x3]. Seizures of illicit tobacco [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61e_B61x4]. Seizures of illicit tobacco [Smokeless tobacco products][Quantity seized]
B61[B61f_B61x1]. Seizures of illicit tobacco [Smokeless tobacco products][Year]
B61[B61f_B61x2]. Seizures of illicit tobacco [Smokeless tobacco products][Product]
B61[B61f_B61x3]. Seizures of illicit tobacco [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61f_B61x4]. Seizures of illicit tobacco [Smokeless tobacco products][Quantity seized]
B61[B61ff_B61x1]. Seizures of illicit tobacco [Smokeless tobacco products][Year]
B61[B61ff_B61x2]. Seizures of illicit tobacco [Smokeless tobacco products][Product]
B61[B61ff_B61x3]. Seizures of illicit tobacco [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61ff_B61x4]. Seizures of illicit tobacco [Smokeless tobacco products][Quantity seized]
B61[B61fff_B61x1]. Seizures of illicit tobacco [Smokeless tobacco products][Year]
B61[B61fff_B61x2]. Seizures of illicit tobacco [Smokeless tobacco products][Product]
B61[B61fff_B61x3]. Seizures of illicit tobacco [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61fff_B61x4]. Seizures of illicit tobacco [Smokeless tobacco products][Quantity seized]
B61[B61ffff_B61x1]. Seizures of illicit tobacco [Smokeless tobacco products][Year]
B61[B61ffff_B61x2]. Seizures of illicit tobacco [Smokeless tobacco products][Product]
B61[B61ffff_B61x3]. Seizures of illicit tobacco [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61ffff_B61x4]. Seizures of illicit tobacco [Smokeless tobacco products][Quantity seized]
B61[B61fffff_B61x1]. Seizures of illicit tobacco [Smokeless tobacco products][Year]

B61[B61ffff_B61x2]. Seizures of illicit tobacco [Smokeless tobacco products][Product]
B61[B61ffff_B61x3]. Seizures of illicit tobacco [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61ffff_B61x4]. Seizures of illicit tobacco [Smokeless tobacco products][Quantity seized]
B61[B61fffff_B61x1]. Seizures of illicit tobacco [Smokeless tobacco products][Year]
B61[B61fffff_B61x2]. Seizures of illicit tobacco [Smokeless tobacco products][Product]
B61[B61fffff_B61x3]. Seizures of illicit tobacco [Smokeless tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61fffff_B61x4]. Seizures of illicit tobacco [Smokeless tobacco products][Quantity seized]
B61[B61g_B61x1]. Seizures of illicit tobacco [Other tobacco products][Year]
2016
B61[B61g_B61x2]. Seizures of illicit tobacco [Other tobacco products][Product]
raw tobacco
B61[B61g_B61x3]. Seizures of illicit tobacco [Other tobacco products][Unit (e.g. pieces, tonnes)]
tonnes
B61[B61g_B61x4]. Seizures of illicit tobacco [Other tobacco products][Quantity seized]
112239
B61[B61h_B61x1]. Seizures of illicit tobacco [Other tobacco products][Year]
2017
B61[B61h_B61x2]. Seizures of illicit tobacco [Other tobacco products][Product]
raw tobacco
B61[B61h_B61x3]. Seizures of illicit tobacco [Other tobacco products][Unit (e.g. pieces, tonnes)]
tonnes
B61[B61h_B61x4]. Seizures of illicit tobacco [Other tobacco products][Quantity seized]
0
B61[B61i_B61x1]. Seizures of illicit tobacco [Other tobacco products][Year]
B61[B61i_B61x2]. Seizures of illicit tobacco [Other tobacco products][Product]
B61[B61i_B61x3]. Seizures of illicit tobacco [Other tobacco products][Unit (e.g. pieces, tonnes)]
B61[B61i_B61x4]. Seizures of illicit tobacco [Other tobacco products][Quantity seized]
B61[B61ii_B61x1]. Seizures of illicit tobacco [Other tobacco products][Year]
B61[B61ii_B61x2]. Seizures of illicit tobacco [Other tobacco products][Product]

B61[B61ii_B61x3]. Seizures of illicit tobacco [Other tobacco products][Unit (e.g. pieces, tonnes)]

B61[B61ii_B61x4]. Seizures of illicit tobacco [Other tobacco products][Quantity seized]

B61[B61iii_B61x1]. Seizures of illicit tobacco [Other tobacco products][Year]

B61[B61iii_B61x2]. Seizures of illicit tobacco [Other tobacco products][Product]

B61[B61iii_B61x3]. Seizures of illicit tobacco [Other tobacco products][Unit (e.g. pieces, tonnes)]

B61[B61iii_B61x4]. Seizures of illicit tobacco [Other tobacco products][Quantity seized]

B61[B61iiii_B61x1]. Seizures of illicit tobacco [Other tobacco products][Year]

B61[B61iiii_B61x2]. Seizures of illicit tobacco [Other tobacco products][Product]

B61[B61iiii_B61x3]. Seizures of illicit tobacco [Other tobacco products][Unit (e.g. pieces, tonnes)]

B61[B61iiii_B61x4]. Seizures of illicit tobacco [Other tobacco products][Quantity seized]

B61[B61iiii_B61x1]. Seizures of illicit tobacco [Other tobacco products][Year]

B61[B61iiii_B61x2]. Seizures of illicit tobacco [Other tobacco products][Product]

B61[B61iiii_B61x3]. Seizures of illicit tobacco [Other tobacco products][Unit (e.g. pieces, tonnes)]

B61[B61iiii_B61x4]. Seizures of illicit tobacco [Other tobacco products][Quantity seized]

B61[B61iiii_B61x1]. Seizures of illicit tobacco [Other tobacco products][Year]

B61[B61iiii_B61x2]. Seizures of illicit tobacco [Other tobacco products][Product]

B61[B61iiii_B61x3]. Seizures of illicit tobacco [Other tobacco products][Unit (e.g. pieces, tonnes)]

B61[B61iiii_B61x4]. Seizures of illicit tobacco [Other tobacco products][Quantity seized]

B62. Do you have any information on the percentage of illicit tobacco products on the national tobacco market?
No

B63. What percentage of the national tobacco market do illicit tobacco products constitute? (%)

B64. What is the trend over the past two years or since submission of your last report in the percentage of illicit tobacco products in relation to the national tobacco market?

B65. Please provide any further information on illicit tobacco products.

Only unofficial data are available declaring that the volume of illicit trade in the Czech Republic is one of the lowest within the EU

B66. Please indicate the source of the data used to answer questions in section B6:

Czech Customs Administration

B67. Please attach the relevant documentation.

B67[filecount]. filecount - Please attach the relevant documentation.

0

B7. Tobacco-growing

B71. Is there any tobacco-growing in your jurisdiction?

No

B72. Please provide information on the number of workers involved in tobacco-growing. If available, please provide this figure broken down by gender.

B73. Please provide, if available, the share of the value of tobacco leaf production in the national gross domestic product.

B74B. Please indicate the source of the data used to answer questions in section B7:

B75. Please attach the relevant documentation.

B75[filecount]. filecount - Please attach the relevant documentation.

0

B8. Taxation of tobacco products (with reference to Articles 6.2(a) and 6.3)

B81. What proportion of the retail price of the most popular price category of tobacco product consists of taxes (e.g. sum of excise, sales and import duties (if applicable) and value added tax/goods and services tax (VAT/GST))?

78.3100000000

B82[SQ001]. How are the excise taxes levied (what types of taxes are levied)? [Specific tax only]

No

B82[SQ002]. How are the excise taxes levied (what types of taxes are levied)? [Ad valorem tax only]

No

B82[SQ003]. How are the excise taxes levied (what types of taxes are levied)? [Combination of specific and ad valorem taxes]

Yes

B82[SQ004]. How are the excise taxes levied (what types of taxes are levied)? [More complex structure (please explain below)]

Yes

B82a. If a more complex structure of taxes (please explain):

Excise tax policy applied on tobacco products in the Czech Republic fully complies with requirements set by the EU legislation (structure and level of taxation). Combination of specific and ad valorem tax is applicable for cigarettes, while other tobacco products are subject to the specific excise tax only. In addition to that, VAT, and import duty (in case of import from countries outside the EU) are imposed on all tobacco products.

B83[B83a_B83x1]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Product]

Cigarettes

B83[B83a_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Type of tax]

Excise Tax

B83[B83a_B83x3]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Rate or amount]

27% + 1,42 CZK/pc or min. 2,57 CZK/pc

B83[B83a_B83x4]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Base of tax5]

ad valorem (retail price); specific - pcs

B83[B83b_B83x1]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Product]

Cigars

B83[B83b_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Type of tax]

Excise Tax

B83[B83b_B83x3]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Rate or amount]

1,67 CZK

B83[B83b_B83x4]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Base of tax5]

pcs

B83[B83c_B83x1]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Product]

Smoking tobacco

B83[B83c_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Type of tax]

Excise Tax

B83[B83c_B83x3]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Rate or amount]

2185 CZK

B83[B83c_B83x4]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Base of tax5]

kg

B83[B83cc_B83x1]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Product]

All tobacco products

B83[B83cc_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Type of tax]

VAT

B83[B83cc_B83x3]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Rate or amount]

21%

B83[B83cc_B83x4]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Base of tax5]

retail price

B83[B83ccc_B83x1]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Product]

All tobacco products

B83[B83ccc_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Smoking tobacco products][Type of tax]

Import Duty

B83[B83iii_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Type of tax]

B83[B83iii_B83x3]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Rate or amount]

B83[B83iii_B83x4]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Base of tax5]

B83[B83iiii_B83x1]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Product]

B83[B83iiii_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Type of tax]

B83[B83iiii_B83x3]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Rate or amount]

B83[B83iiii_B83x4]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Base of tax5]

B83[B83iiiii_B83x1]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Product]

B83[B83iiiii_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Type of tax]

B83[B83iiiii_B83x3]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Rate or amount]

B83[B83iiiii_B83x4]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Base of tax5]

B83[B83iiiii_B83x1]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Product]

B83[B83iiiii_B83x2]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Type of tax]

B83[B83iiiii_B83x3]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Rate or amount]

B83[B83iiiii_B83x4]. If available, please provide details on the rates of taxation for tobacco products at all levels of Government and be as specific as possible (specify the type of tax, e.g. VAT, sales, import duties) [Other tobacco products][Base of tax5]

B84. Please briefly describe the trends in taxation for tobacco products in the past two years or since submission of your last report in your jurisdiction.
Excise tax rates on all tobacco products were increased compared to previous period, in line with approved timetable which is incorporated into Act No. 353/2003 Coll. on Excise Duties. Latest increase in excise duty is effective as of 1st January 2018.

B85. Do you earmark any percentage of your taxation income for funding any national plan or strategy on tobacco control in your jurisdiction?
No

B86. Please provide details in the space below.

B87A. Please indicate the year of the data used to answer questions B81 to B86:

2017

B87B. Please indicate the source of the data used to answer questions B81 to B86:

Czech legislation: Act No. 353/2003 Coll. on Excise Duties, in Act No. 235/2004 Coll. on Value Added Tax (VAT); B81 Explanatory note: Cigarettes' tax yield (Excise Duty + VAT as of 1 January 2018) is 78,31%, based on MPPC of CZK 86

B88. Please attach the relevant documentation.

B88[filecount]. filecount - Please attach the relevant documentation.

0

B9. Price of tobacco products (with reference to Articles 6.2(a))

B91A[1_SQ001]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Name of the most widely sold brands]

Viceroy

B91A[1_SQ002]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Number of units or amount per package]

20 (amount per package)

B91A[1_SQ003]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Retail price]

86*

B91A[1_SQ004]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Currency]

CZK

B91A[2_SQ001]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Name of the most widely sold brands]

LM

B91A[2_SQ002]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Number of units or amount per package]

20 (amount per package)

B91A[2_SQ003]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Retail price]

B91A[2_SQ004]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Currency]

B91A[3_SQ001]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Name of the most widely sold brands]

Chesterfield

B91A[3_SQ002]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Number of units or amount per package]

20 (amount per package)

B91A[3_SQ003]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Retail price]

B91A[3_SQ004]. Domestic Please provide the retail prices of the three most widely sold brands of domestic tobacco products at the most widely used point of sale in your capital city. [Smoking tobacco products][Currency]

B91B[13_SQ004]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Currency]

B91B[14_SQ001]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Name of the most widely sold brands]

B91B[14_SQ002]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Number of units or amount per package]

B91B[14_SQ003]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Retail price]

B91B[14_SQ004]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Currency]

B91B[15_SQ001]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Name of the most widely sold brands]

B91B[15_SQ002]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Number of units or amount per package]

B91B[15_SQ003]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Retail price]

B91B[15_SQ004]. Imported Please provide the retail prices of the three most widely sold brands of imported tobacco products at the most widely used point of sale in your capital city. [Other tobacco products][Currency]

B92A. Please indicate the year of the data used to answer question B91:

2017

B92B. Please indicate the source of the data used to answer question B91:

Explanatory Note:*) MPPC, Ministry of Finance calculation; Information on the most widely sold brands of cigarettes is indicative (only data from economic operators are available)

B93. Please briefly describe the trend in the prices of tobacco products in the past two years or since submission of your last report in your jurisdiction.

Consumer prices of tobacco products were constantly growing, in line with gradual increase in excise duty rates on tobacco products during the period 2016 – 2018

B94. Please attach the relevant documentation.

B94[filecount]. filecount - Please attach the relevant documentation.

0

C1. GENERAL OBLIGATIONS

C1. With reference to Article 5

C111. Have you developed and implemented comprehensive multisectoral national tobacco control strategies, plans and programmes in accordance with the Convention?

Yes

C112. Have you partially developed and implemented tobacco control strategies by including tobacco control in national health, public health or health promotion strategies, plans and programmes?
N/A

C113. Is any aspect of tobacco control that is referred to in the Convention included in any national strategy, plan or programme?
N/A

C114[C114a]. Have you established or reinforced and financed: [a focal point for tobacco control?]
Yes

C114[C114b]. Have you established or reinforced and financed: [a tobacco control unit?]
No

C114[C114c]. Have you established or reinforced and financed: [a national coordinating mechanism for tobacco control?]
Yes

C115. Please provide details (e.g. the nature of the national coordinating mechanism, the institution to which the focal point for tobacco control or the tobacco control unit belongs).
Focal point for tobacco control is the Ministry of Health of the Czech Republic.
In 2013, Inter-ministerial Working Group for the Comprehensive Protection against Harm Caused by Tobacco was established by the Minister of Health. All ministries relevant for tobacco control issues are involved in this group.
Since 2015, the group has been recognised as one of the working groups and consulting bodies of the Government Council for Drug Policy Coordination. In February 2016, revised Mandate of this group and revised Rules of procedure were adopted by the Minister of Health. Since that time representatives of professional organisations, NGOs, National Public Health institute, etc. have been members of the group, as well.

C116. Please provide a brief description of the progress made in implementing Article 5.1 and 5.2 (General obligations) in the past two years or since submission of your last report.

In August 2015, the Action plan for the area of tobacco control in the Czech Republic for the period 2015-2018 was adopted by the government.
This action plan was drafted in response to the requirements related to the implementation of Health 2020 – National Strategy for Health Protection and Promotion and Disease Prevention (this action plan is one of the three action plans* included in the action plan "Reducing Health Risk Behaviour") and also constitutes a tool for the implementation of the National Drug Policy Strategy for the period 2010-2018.
The main objectives of this action plan are:
1. To reduce the current use of tobacco products among persons over 15 years of age by at least 8 % by 2018, and by at least 10 % by 2020 (and by at least 30 % by 2025).
2. To reduce the exposure of persons to environmental tobacco smoke
3. To ensure additional necessary system and other measures to strengthen the comprehensive protection against harm caused by tobacco in the Czech Republic.
The Action Plan was prepared in cooperation with the working group composed of experts and representatives of professional organizations involved in the prevention of tobacco use, the Secretariat of the Government Council for Drug Policy Coordination, with the representatives of ministries within the Inter-ministerial Working Group for the Comprehensive Protection against Harm Caused by Tobacco and with other stakeholders.

The Action Plan is available on-line (only in Czech language):
http://www.mzcr.cz/Admin/_upload/files/5/akční%20plány%20-%20přílohy/AP%2004b_rev%20AV.pdf
Revision of the National Drug Policy Strategy for the period of 2010-2018 in terms of greater emphasis on tobacco control was adopted by the Government on 25th January 2016 (Government Resolution No. 54).
Revised National Drug Policy Strategy for the period of 2010-2018 is available on-line (only in Czech language):
<http://www.vlada.cz/cz/ppov/protidrogova-politika/strategie-a-plany/druha-revize-narodni-strategie-protidrogove-politiky-na-obdobi-2010-2018-139834/>

Another relevant action plan is the Action plan for the formation of an interdisciplinary interdepartmental framework of primary risk behaviour prevention among high-risk groups of children in the Czech Republic which was adopted by the government in August 2015 (at the same time with the Action plan on tobacco control).
Since last report the action plan has been implemented. There are regular meetings of Working Group for the Comprehensive Protection against Harm Caused by Tobacco. The Government Council for Drug Policy Coordination discussed some of the issues related to the tobacco control at some of its meetings, as well.

C117. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C12. Protection of public health policies with respect to tobacco control from commercial and other vested interests of the tobacco industry Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C121. protecting public health policies with respect to tobacco control from commercial and other vested interests of the tobacco industry?

Yes

C122. ensuring that the public has access, in accordance with Article 12(c), to a wide range of information on tobacco industry activities relevant to the objectives of the Convention, such as in a public repository?

No

C123. Please provide details in the space below.

The Code of Ethics for state officials and employees in public administration, which was approved by the Government Resolution No. 331 of 9 May 2012, and the Codes of Ethics of relevant state authorities in general apply to this matter.

C124. Please provide a brief description of the progress made in implementing Article 5.3 in the past two years or since submission of your last report.

There was no substantive progress in this regard.

C125. Have you utilized the "Guidelines for implementation of Article 5.3 of the WHO FCTC" when developing or implementing policies in this area?

Yes

C126. Please provide details in the space below or refer to section I of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}<=en>

For example, Article 5.3 FCTC was promoted by Ministry of Health during consultations of the preparation of the draft act on lobbying (in the process of preparation, the government approved draft rules in February 2018). Aim of the act will be to make lobbyists report their activities and thereby limit the undesirable effects connected to them, such as corruption, conflict of interest and clientelism. Article 5.3 FCTC (and its guidelines) should be taken into account, as appropriate. Final draft act should be submitted to the government until the end of 2018.

C127. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C128. Please attach the relevant documentation.

C128[filecount]. filecount - Please attach the relevant documentation.

0

C2. MEASURES RELATING TO THE REDUCTION OF DEMAND FOR TOBACCO

C2. With reference to Articles 6–14

C21. Price and tax measures to reduce the demand for tobacco Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C211. tax policies and, where appropriate, price policies on tobacco products so as to contribute to the health objectives aimed at reducing tobacco consumption?

Yes

C212. prohibiting or restricting, as appropriate, sales to international travellers of tax- and duty-free tobacco products?

Yes

C213. prohibiting or restricting, as appropriate, imports by international travellers of tax- and duty-free tobacco products?

Yes

C214. Please provide a brief description of the progress made in implementing Article 6 (Price and tax measures to reduce the demand for tobacco) in the past two years or since submission of your last report.

The Czech Republic fulfils the conditions set up in EU directives 2011/64/EU (excise duty rate) and 2007/74/EC (travellers' allowances). Following these conditions the tax measures are laid down in Act No. 353/2003 Coll., on Excise Duties, as amended. In relation to restrictions for sale to international travellers coming from countries outside EU, the quantitative limits are stipulated in Act No. 235/2004 Coll. on Value Added Tax, as amended.

C215. Have you utilized the "Guidelines for implementation of Article 6 of the WHO FCTC" when developing or implementing policies in this area?

No

C216. Please provide details in the space below or refer to section H of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}&=en>

C217. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

Not directly

C218. Please attach the relevant documentation.

C218[filecount]. filecount - Please attach the relevant documentation.

0

C22. Protection from exposure to tobacco smoke Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C221. banning tobacco smoking in indoor workplaces, public transport, indoor public places and, as appropriate, other public places ?

Yes

C222[1]. What is the type/nature of the measure providing for the ban? [national law]

Yes

C222[2]. What is the type/nature of the measure providing for the ban? [subnational law(s)]

Yes

C222[3]. What is the type/nature of the measure providing for the ban? [administrative and executive orders]

No

C222[4]. What is the type/nature of the measure providing for the ban? [voluntary agreements]

Yes

C222[5]. What is the type/nature of the measure providing for the ban? [other measures (please specify in C223 below)]

No

C223. Please provide a brief explanation of the type/nature and content of the measures providing for the ban.
<p>Mainly 2 acts apply to the smoking ban: 1/ Act No. 65/2017 Coll. on the protection of health against harmful effects of addictive substances 2/Act No. 262/2006 Coll. Labour Code, as subsequently amended</p> <p>Ad Act No. 65/2017 Coll.: Section 8 - Smoking ban; The areas where smoking ban is imposed are stipulated in this section: e.g.: means of public transport, schools and educational facilities; indoor entertainment areas, such as cinemas, theatres, indoor areas of all types of sport facilities, premises of playgrounds etc. Smoking is prohibited also in indoor areas of hospitality establishments (e.g. restaurants, pubs, bars etc.), with the exception of the use of water pipes. The use of electronic cigarettes is allowed in this type of areas, as well.(however,in other types of aforementioned areas is use of electronic cigarettes banned). A municipality with independent authority may by means of decree of general application prohibit smoking and the use of electronic cigarettes in public spaces located near schools, educational establishments or other spaces designated for activities of persons under 18 years of age.</p> <p>Ad Labour Code: Section 103 paragraph 1 letter l) The employer shall ensure compliance with the ban on smoking at workplaces laid down in other statutory provisions referred to in Act no. 379/2005 Coll /mentioned above/ Section 106 paragraph 4 letter e) - The employee shall [...] not smoke at workplaces and other premises where non-smokers would be exposed to the effects of smoking. For prisons applies the Decree Nr. 345/1999 Coll. of the Ministry of Justice, by which Order of execution of imprisonment (regulates that non-smokers on their request shall not be in the cell with smokers) and Internal Order of the Prison are issued</p>
C224. Do any of these measures provide for a mechanism/ infrastructure for enforcement?
Yes
C225. Please provide details of this system.
<p>National body responsible for the enforcement: Municipality with delegated power; The Police of the Czech Republic; Municipal police; Public Health Authority, Czech School inspectorate; State Labour inspection office and regional labour inspectorates (as regards workplaces)</p> <p>Sanctions for non-compliance with national legislation/requirements are imposed (e.g. fine for operators which allow smoking at places with smoking ban up to 50 000 CZK, and for persons who smoke at places with smoking ban – up to 5 000 CZK.</p>
C226a[1]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor workplaces: [government buildings]
Partial
C226a[2]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor workplaces: [health-care facilities]
Complete
C226a[3]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor workplaces: [educational facilities6]
Complete
C226a[4]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor workplaces: [universities]
Complete
C226a[5]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor workplaces: [private workplaces]
Partial
C226a[6]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor workplaces: [other (please specify below)]
Partial
C226aa. Please provide a brief explanation of any "other" policies in the space below
please see explanation in C223
C226b[1]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Public transport: [airplanes]
Complete

C226b[2]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Public transport: [trains]

Complete

C226b[3]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Public transport: [ferries]

Complete

C226b[4]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Public transport: [ground public transport (buses, trolleybuses, trams)]

Complete

C226b[5]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Public transport: [motor vehicles used as places of work (taxis, ambulances, delivery vehicles)]

Complete

C226b[6]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Public transport: [private vehicles]

None

C226b[7]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Public transport: [other (please specify below)]

Partial

C226bb. Please provide a brief explanation of any "other" policies in the space below

platforms, public transport shelters and waiting rooms

C226c[1]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor public places: [cultural facilities]

Complete

C226c[2]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor public places: [shopping malls]

Partial

C226c[3]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor public places: [pubs and bars]

Partial

C226c[4]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor public places: [nightclubs]

Partial

C226c[5]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor public places: [restaurants]

Partial

C226c[6]. Please specify the settings and extent/comprehensiveness of measures applied in indoor workplaces, public transport, indoor public places and, as appropriate, other public places. Indoor public places: [other (please specify below)]

Complete

C226cc. Please provide a brief explanation of any "other" policies in the space below

indoor places of all types of sport facilities; playgrounds for children

C227. Please provide a brief summary of complete and partial measures, with specific details of the partial measures that have been implemented:

C227a. Banning tobacco smoking in indoor workplaces

Please see answer C223

C227b. Banning tobacco smoking in public transport

There is a total ban of smoking in the means of public transport, on platforms and in public transport shelters or waiting rooms. Smoking and the use of electronic cigarettes are prohibited also in transit areas of international airports, except for structurally separated areas designated for smoking.

C227c. Banning tobacco smoking in indoor public places

As regards freely accessible interior public places - smoking is banned with the exception of structurally separated areas designated for smoking. There are some conditions for smoking rooms which must be fulfilled by the owner stipulated in Section 10 (ban of entry to persons under 18 years of age, appropriate marking etc.).

C228. Please provide a brief description of the progress made in implementing Article 8 (Protection from exposure to tobacco smoke) in the past two years or since submission of your last report.

The process of revision of the smoke-free environments act (Act No. 379/2005 Coll.) was finished and on 31st May 2017 new act No. 65/2017 Coll. came into effect. One of the objectives of the act is to strengthen public health protection (e.g. a total ban of smoking in restaurants with exception of use of water pipes) and enforcement of the relevant provisions, improvement of legal clarity of some of the provisions, etc. For details please see C223.

C229. Have you utilized the "Guidelines for implementation of Article 8 of the WHO FCTC" when developing or implementing policies in this area?

Yes

C2210. Please provide details in the space below or refer to section B of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}&=en>

For example - for the purposes of preparation and advocacy of the new Act No. 65/2017 Coll.

C2211. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

2017: Dr Lenka Teska Arnoštová, Deputy Minister of Health, Czech Republic won World No Tobacco Day 2017 award for her crucial role in overcoming political obstacles to achieve the adoption of new comprehensive tobacco control legislation in Czechia: the Law on Protection of Health against the Harmful Effects of Addictive Substances (Act No. 65/2017 Coll.).

More details here: <http://www.euro.who.int/en/health-topics/disease-prevention/tobacco/news/news/2017/05/world-no-tobacco-day-2017-awards-winners-from-the-who-european-region>

C2212. Please attach the relevant documentation.

C2212[filecount]. filecount - Please attach the relevant documentation.

0

C23. Regulation of the contents of tobacco products Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C231. testing and measuring the contents of tobacco products?

Yes

C232. testing and measuring the emissions of tobacco products?

Yes

C233. regulating the contents of tobacco products?

Yes

C234. regulating the emissions of tobacco products?

Yes

C235. Please provide a brief description of the progress made in implementing Article 9 (Regulation of the contents of tobacco products) in the past two years or since submission of your last report.

Regulation of the contents of tobacco products is included in following national laws:

- Act No. 110/1997 Coll. on Foodstuffs and Tobacco Products, on the amendment and additions to some related acts, as amended subsequently
- Decree No. 261/2016 Coll. on Tobacco Products (providing the list of prohibited additives of tobacco products)

This is a national law implementing the current EU Tobacco Products Directive (Directive 2014/40/EU of the European Parliament and of the Council of 3 April 2014 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco and related products and repealing Directive 2001/37/EC), which has been revised accordingly following the transposition of the Directive. Transposition process of the Directive to the aforementioned law was finished in 2016. The Directive includes among others provisions regarding regulation of the contents of tobacco products.

C236. Have you utilized the "Guidelines for implementation of Articles 9 and 10 of the WHO FCTC" when developing or implementing policies in this area?
Yes

C237. Please provide details in the space below or refer to section C of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}<=en>
Directive 2014/40/EU which is transposed to the national law is based on Guidelines for implementation of Articles 9 and 10 of the WHO FCTC.

C238. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C239. Please attach the relevant documentation.

C239[filecount]. filecount - Please attach the relevant documentation.
0

C24. Regulation of tobacco product disclosures Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C241[1]. requiring manufacturers or importers of tobacco products to disclose to Government authorities information about the: [contents of tobacco products?]
Yes

C241[2]. requiring manufacturers or importers of tobacco products to disclose to Government authorities information about the: [emissions of tobacco products?]
Yes

C242[1]. requiring public disclosure of information about the: [contents of tobacco products?]
Yes

C242[2]. requiring public disclosure of information about the: [emissions of tobacco products?]
Yes

C243. Please provide a brief description of the progress made in implementing Article 10 (Regulation of tobacco product disclosures) in the past two years or since submission of your last report.
Act No. 110/1997 Coll. on Foodstuffs and Tobacco Products, on the amendment and additions to some related acts, as amended subsequently, applies. This is a national law implementing the current EU Tobacco Products Directive (Directive 2014/40/EU of the European Parliament and of the Council of 3 April 2014 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco and related products and repealing Directive 2001/37/EC), which has been revised accordingly following the transposition of the Directive. Transposition process of the Directive to the aforementioned law was finished in 2016. The Directive includes, inter alia, provisions regarding regulation of tobacco product disclosure.
Information on contents/emissions of tobacco products are publicly available on the websites of the Czech Agriculture and Food Inspection Authority: <http://www.szpi.gov.cz/lstDoc.aspx?nid=11323>

C244. Have you utilized the "Guidelines for implementation of Articles 9 and 10 of the WHO FCTC" when developing or implementing policies in this area?
Yes

C245. Please provide details in the space below or refer to section C of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}<=en>
Directive 2014/40/EU which is transposed to the national law is based on the Guidelines for implementation of Articles 9 and 10 of the WHO FCTC.

C246. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C247. Please attach the relevant documentation.

C247[filecount]. filecount - Please attach the relevant documentation.
0

C25. Packaging and labelling of tobacco products Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C251. requiring that packaging, individual cigarettes or other tobacco products do not carry advertising or promotion?

Yes

C252. requiring that packaging and labelling do not promote a product by any means that are false, misleading, deceptive or likely to create an erroneous impression about its characteristics, health effects, hazards or emissions?

Yes

C253. requiring that each unit packet and package of tobacco products and any outside packaging and labelling of such products carry health warnings describing the harmful effects of tobacco use?

Yes

C254. ensuring that the health warnings are approved by the competent national authority?

Yes

C255. ensuring that the health warnings are rotated?

Yes

C256. ensuring that the health warnings are clear, visible and legible?

Yes

C257. Does your law mandate, as a minimum, a style, size and colour of font to render the warning clear, visible and legible?

Yes

C258. ensuring that the health warnings occupy no less than 30% of the principal display areas?

Yes

C259. ensuring that the health warnings occupy 50% or more of the principal display areas?

Yes

C2510. ensuring that health warnings are in the form of, or include, pictures or pictograms?

Yes

C2511. Does the Government own the copyright to these pictures and pictograms?

No

C2512. Would you grant a non-exclusive and royalty-free licence for the use of health warnings developed in your jurisdiction with other Parties?

No

C2513[1]. requiring that each unit packet and package of tobacco products and any outside packaging and labelling of such products contain information on relevant: [constituents of tobacco products?]

No

C2513[2]. requiring that each unit packet and package of tobacco products and any outside packaging and labelling of such products contain information on relevant: [emissions of tobacco products?]

No

C2514. requiring that the warnings and other textual information appear on each unit packet and package and on any outside packaging and labelling in the principal language or languages of the country?

Yes

C2515. Please provide a brief description of the progress made in implementing Article 11 (Packaging and labelling of tobacco products) in the past two years or since submission of your last report.

Act No. 110/1997 Coll. on Foodstuffs and Tobacco Products, on the amendment and additions to some related acts, as amended subsequently, and related decree No. 261/2016 Coll., on tobacco products, apply.

This is a national law implementing the current EU Tobacco Products Directive (Directive 2014/40/EU of the European Parliament and of the Council of 3 April 2014 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco and related products and repealing Directive 2001/37/EC), which has been revised accordingly following the transposition of the Directive. Transposition process of the Directive to the aforementioned law was finished in 2016. The Directive, inter alia, provisions regarding regulation of tobacco packaging and labelling. For example combined health warnings on tobacco products are after the transposition required.

C2516. Have you utilized the "Guidelines for implementation of Article 11 of the WHO FCTC" when developing or implementing policies in this area?

Yes

C2517. Please provide details in the space below or refer to section D of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}&=en>

Directive 2014/40/EU which is transposed to the national law is based on the Guidelines for implementation of Articles 11 of the WHO FCTC.

C2518. If you have any other relevant information pertaining to or not covered in this section, please provide details in the space below.

C2519. Please attach the relevant documentation.

C2519[filecount]. filecount - Please attach the relevant documentation.

0

C26. Education, communication, training and public awareness Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C261. educational and public awareness programmes? (Please refer to programmes implemented since submission of your two-year report.)

Yes

C262[1]. To whom are these programmes targeted? [adults or the general public]

Yes

C262[2]. To whom are these programmes targeted? [children and young people]

Yes

C262[3]. To whom are these programmes targeted? [men]

No

C262[4]. To whom are these programmes targeted? [women]

No

C262[5]. To whom are these programmes targeted? [pregnant women]

No

C262[6]. To whom are these programmes targeted? [ethnic groups]

No

C262[7]. To whom are these programmes targeted? [other (please specify)]

No

C262[other]. To whom are these programmes targeted? [Other]

C263[1]. Do you reflect the following key differences among targeted population groups in educational and public awareness programmes? [age]

Yes

C263[2]. Do you reflect the following key differences among targeted population groups in educational and public awareness programmes? [gender]

Yes

C263[3]. Do you reflect the following key differences among targeted population groups in educational and public awareness programmes? [educational background]

Yes

C263[4]. Do you reflect the following key differences among targeted population groups in educational and public awareness programmes? [cultural background]

No

C263[5]. Do you reflect the following key differences among targeted population groups in educational and public awareness programmes? [socioeconomic status]

No

C263[6]. Do you reflect the following key differences among targeted population groups in educational and public awareness programmes? [other (please specify)]

No

C263[other]. Do you reflect the following key differences among targeted population groups in educational and public awareness programmes? [Other]

C264[1]. Do these educational and public awareness programmes cover: [health risks of tobacco consumption?]

Yes

C264[2]. Do these educational and public awareness programmes cover: [health risks of exposure to tobacco smoke?]

Yes

C264[3]. Do these educational and public awareness programmes cover: [benefits of the cessation of tobacco use and tobacco-free lifestyles?]

Yes

C264[4]. Do these educational and public awareness programmes cover: [adverse economic consequences of tobacco production?]

Yes

C264[5]. Do these educational and public awareness programmes cover: [adverse economic consequences of tobacco consumption?]

Yes

C264[6]. Do these educational and public awareness programmes cover: [adverse environmental consequences of tobacco production?]

No

C264[7]. Do these educational and public awareness programmes cover: [adverse environmental consequences of tobacco consumption?]

Yes

C265[1]. awareness and participation of the following agencies and organizations in development and implementation of intersectoral programmes and strategies for tobacco control: [public agencies?]

Yes

C265[2]. awareness and participation of the following agencies and organizations in development and implementation of intersectoral programmes and strategies for tobacco control: [nongovernmental organizations not affiliated with the tobacco industry?]

Yes

C265[3]. awareness and participation of the following agencies and organizations in development and implementation of intersectoral programmes and strategies for tobacco control: [private organizations?]

Yes

C265[4]. awareness and participation of the following agencies and organizations in development and implementation of intersectoral programmes and strategies for tobacco control: [other (please specify)?]

No

C265[other]. awareness and participation of the following agencies and organizations in development and implementation of intersectoral programmes and strategies for tobacco control: [Other]

C266. Are the elaboration, management and implementation of communication, education, training and public awareness programmes guided by research and do they undergo pre-testing, monitoring and evaluation?

No

C267[1]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to:
[health workers?]
Yes

C267[2]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to:
[community workers?]
No

C267[3]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to:
[social workers?]
No

C267[4]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to:
[media professionals?]
No

C267[5]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to:
[educators?]
Yes

C267[6]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to:
[decision-makers?]
No

C267[7]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to:
[administrators?]
No

C267[8]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to: [other
(please specify)]
No

C267[other]. Are appropriate and special training or sensitization and awareness programmes on tobacco control addressed to:
[Other]

C268. Please provide a brief description of the progress made in implementing Article 12 (Education, communication, training and public awareness) in the past two years or since submission of your last report.

The Office of the Government of the Czech Republic, The Drug Policy Department:

Since 2016 the Drug Policy Department runs national website promoting smoking cessation (www.koureni-zabiji.cz). This website is advertised through cigarette package health warnings. The Drug Policy Department have limited budget to finance also campaigns to prevent smoking. Prevention is mainly funded via grants provided by the Ministry of Health and Ministry of Education, however those campaigns are rare due to financial restrains.

Ministry of Education, Youth and Sports of the Czech Republic

In May 2014 the Government approved a document which lays down the strategic goals of the national policy in relation to young people for the period 2014-2020, as well as sets out objectives and measures pertaining to the areas of risk behaviour and physical and mental health, including addictive behaviour and addiction. This policy approach is primarily targeted at adolescents and young adults.

The core documents for the area of school-based prevention are the National Strategy for the Primary Prevention of Risk Behaviour for 2013-2018 and the Methodological Recommendations on the Primary Prevention of Risk Behaviour among Children and Young People. The main objective of the strategy is to prevent or reduce risk behaviour among children and adolescents by means of an effective prevention system underpinned by comprehensive synergetic efforts on the part of all the stakeholders.

The Ministry of Education, Youth and Sports of the Czech Republic yearly financially supports the prevention programs in which smoking prevention is one of the priorities. The programs are aimed at work with pupils, teachers and teachers' education in this field.

A national system of quality assessment of preventive programs for schools (called the certification procedure) is in place - prevention of tobacco use is a required part of these programs. This system has a practical impact on the above-mentioned grant system of the Ministry of Education, Youth and Sport of the Czech Republic.

All schools have a "prevention methodologist" who is responsible for the smoking prevention activities. Each school implements its preventive programme which includes prevention of tobacco use, as well.

On the 1st September 2016 an amendment to the Decree No. 72/2005 Coll. on the provision of counseling services in schools and school counseling facilities, came into effect. In this amendment were more precisely specified the roles and activities of prevention methodologists in schools and pedagogical-psychological counseling, the obligation of schools to evaluate its minimum preventive program and its effectiveness.

The Ministry of Education published a Methodical Recommendation on Primary Prevention of Risk Behavior in Children and Youth, which defines the current terminology that is in line with terminology in the EU countries and the inclusion of prevention into the school curriculum and the school regulations, b) describes individual institutions in the system of prevention and the role of pedagogical staff, c) defines the Minimum Prevention Program, etc.

Unified Online Preventive Reporting System was established. It is based on the www.preventivni-aktivita.cz website. The National Institute for Education, the Clinic of Addictology of the First Medical Faculty of the Charles University and the Ministry of Education, Youth and Sports cooperate on its development and implementation. It is used for reporting of implemented preventive activities of each school, the occurrence of individual forms of risk behavior in schools, etc.

There are examples of successful school-based preventive programs such as UNPLUGGED (topic of tobacco use included among other examples of risk behaviour), which has been carried out in many schools of the Czech Republic (confirmed efficacy of the program in prevention of tobacco use).

Ministry of Health of the Czech Republic:

In 2015, Ministry of Health in close cooperation with other ministries, representatives of professional organizations, etc. prepared among others above-mentioned action plans: the Action plan for the area of tobacco control in the Czech Republic for the period 2015-2018 and Action plan for the formation of an interdisciplinary interdepartmental framework of primary risk behaviour prevention among high-risk groups of children in the Czech Republic, which are related also to the some issues of Article 12 FCTC.

In the period of 2016 - 2017 these action plans were implemented.

Furthermore, the Ministry of Health financially supported from its funding programs several projects promoting prevention of tobacco use in the period of 2016 - 2017.

For example, in 2017 the Ministry of Health supported projects oriented on promotion of patient awareness and education of healthcare professionals in the field of tobacco addiction treatment, promotion of Quit line, etc.

On 30 May 2017, the day before the World No Tobacco Day, the Ministry of Health launched its campaign "Last stub out" (Poslední tipnutí) aimed at raising public awareness about the new obligations related to new Act 65/2017 Call. (came into effect on 31 May 2017) and smoking prevention. The event included press conference with participation of the Minister of Health Miloslav Ludvík and the deputy Minister Lenka Teska Arnoštová and the experts on tobacco control. The personal "last stub out" was declared during the press conference by Michael Kocáb, Czech composer, singer and political activist. The press conference of the Prime Minister Bohuslav Sobotka and the Minister of Health held on 31 May 2017 (World No Tobacco Day) aimed at the new anti-smoking act to take place.

Campaign continued in media, social networks and on dedicated websites (www.posledni-tipnuti.cz). Campaign included several regional public events in some of the Czech cities during September and October 2017, as well.

National Institute of Public Health in Prague /NIPH/:

NIPH has created and presented for further use explanatory texts for new combined health warnings on tobacco products.

Tobacco addiction posters were also designed and printed. Most of them have been distributed through the Practicus magazine,

which is intended for general practitioners for adults.

For the target group - students of secondary schools, information activities focused on smoking prevention were implemented within the interactive game "How (Not) Becoming a Dependent". For children of pre-school age and younger schoolchildren, the programs "Prevention of Smoking Playfully", which inform children about negative consequences of smoking, have been implemented.

In 2017, the issue of the educational material "Diary of the schoolboy/schoolgirl" continued, containing a chapter on the prevention of the use of illicit drugs.

On the occasion of the World No Tobacco Day in 2017, NIPH announced a nationwide competition for school students about the best thematic video on smoking prevention, and also a number of accompanying activities focused on smoking awareness were implemented at regional offices.

Between 2016 and 2017, the "Short Intervention in Practice" project was implemented at national level, including tobacco dependence and motivation to quit smoking. The project is a two-stage education, first of all health workers (especially nurses) who, after acquiring skills in the methodology, have short interventions with their patients. In the same way, students of health care schools are taking part in short interventions in their practice. In 2017, a new educational seminar in the methodology was also implemented for secondary school teachers.

In June 2017, two audiospots were broadcast via Czech Radio on the issue of water pipe harm.

Center for Tobacco-Dependent of General University Hospital in Prague and Charles University – the first Faculty of Medicine in coordination with Society for tobacco dependence treatment organized every year 2 events for general public (the World No Tobacco Day and the International Non-smoking Day) with CO measurement and possibility of expert consultations. 10 other seminars (twice a year from 2014) with discussions about smoking cessation took place in therapeutic communities for treatment for illicit drug addiction.

In the cooperation with the Czech Medical Chamber certified courses for physicians concerning intensive tobacco dependence treatment are organized 2-3 times/year.

Two conferences for physicians and nurses are organized every year (since 2006), focusing on tobacco dependence treatment (Tobacco and Health in November and conference for the staff of Centres for Tobacco-Dependent in April).

Medical doctors from the Centre and other members of SLZT (Society for Tobacco Dependence Treatment) have lectured on various aspects of tobacco use and treatment at many other conferences (psychiatric, cardiologic, pneumologic, etc.)

Since 2012 The Society for Tobacco Dependence Treatment has organised, in the frame of a project with ISNCC (International Society of Nurses in Cancer Care), 16 one-day workshops and 36 educational seminars for nurses focusing on brief intervention in smoking cessation.

In September 2016, international conference of Society for Research on Nicotine and Tobacco for 350 health professionals was held in Prague.

Other educational activities for health professionals are to be found in section C2814.

Ministry of Defence:

In May 2015, the Minister of Defence approved Decision No. 56/2015 "Primary prevention of risky behaviour of personnel of Ministry of Defence". Training of newly coming personnel in addictions within the obligatory minimum prevention programme is, inter alia, included. Implementation of the decision continued in the period of 2016 - 2017.

Other programs/campaigns:

Some local events or campaigns focused on education, communication, public awareness related to prevention of tobacco use or exposure to tobacco smoke were organised by some of the municipalities – members of The National Healthy Cities Network. For example, in November 2016 the Brno Office - Healthy City of Brno City Hall organised the third annual campaign focused on the issue of passive smoking. (more information:

<https://www.brno.cz/brno-aktualne/tiskovy-servis/tiskove-zpravy/a/pasivni-koureni-vite-ze-se-tyka-temer-kazdeho-z-nas/>)

Czech Coalition against Tobacco offers and carries out primary prevention programs in elementary schools (program "Nekuřátka") and secondary schools (program "Tipni to"). Campaigns related to World No Tobacco Days are organised every year in Prague. Program related to smoke-free workplace is offered to firms.

Czech Coalition against Tobacco is also operator of the National Quit line (more information about Quit line in C2814).

Other activities:

Department of Addictology of Charles University in Prague - the First Faculty of Medicine and General University Hospital in Prague:

A specialized training program for professionals in Addiction science is continuously implemented in the Czech Republic, it includes issues related to tobacco use and working with tobacco users, both in terms of prevention and treatment. The curricula and scope of the topic associated with tobacco are harmonised with an international certificate ICCE. The institution is a coordinating body for the whole Europe as regards the implementation of the comprehensive Universal Prevention Curriculum (UPC) and Universal Treatment Curriculum (UTC) and is part of the University educators in addictions (ICUDDR), partly funded by the Colombo Plan. Further, European adaptation of the Universal Prevention Curriculum (EUPC; upc-adapt.eu) was developed and introduced, funded by European Commission. Three forms of training for the use of EUPC were developed: online training (10 e-learning lectures); a shorter non-academic training (16 hours); and an academic training (40 hours). All training modules are manual-based and all materials are publicly available and free to use. Implementation of the whole curriculum or only of its parts may contribute to introducing quality to prevention through training.

They pilot implemented (and conducted RCT studying the effect of) the Unplugged intervention (delivered to 6th graders)

combined with an independent follow-up intervention, called the nPrevention (delivered to 7th graders), focusing on tobacco (and other drugs).

C269. Have you utilized the "Guidelines for implementation of Article 12 of the WHO FCTC" when developing and implementing policies in this area?

Yes

C2610. Please provide details in the space below or refer to section E of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}&=en>

Guidelines for implementation of Article 12 of the WHO FCTC are used e.g. during implementation of the Action plan for the area of tobacco control in the Czech Republic for the period 2015-2018

C2611. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C2612. Please attach the relevant documentation.

C2612[filecount]. filecount - Please attach the relevant documentation.

0

C27. Tobacco advertising, promotion and sponsorship Have you adopted and implemented, where appropriate, any legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes:

C271. instituting a comprehensive ban on all tobacco advertising, promotion and sponsorship?

No

C272[1]. Does your ban cover: [display and visibility of tobacco products at points of sales?]

N/A

C272[2]. Does your ban cover: [the domestic Internet?]

N/A

C272[3]. Does your ban cover: [the global Internet?]

N/A

C272[4]. Does your ban cover: [brand stretching and/or brand sharing?]

N/A

C272[5]. Does your ban cover: [product placement as a means of advertising or promotion?]

N/A

C272[6]. Does your ban cover: [the depiction of tobacco or tobacco use in entertainment media products?]

N/A

C272[7]. Does your ban cover: [tobacco sponsorship of international events or activities and/or participants therein?]

N/A

C272[8]. Does your ban cover: [contributions from tobacco companies to any other entity for "socially responsible causes" and/or any other activities implemented under the umbrella of "corporate social responsibility" by the tobacco industry?]

N/A

C272[9]. Does your ban cover: [cross-border advertising, promotion and sponsorship originating from your territory?]

N/A

C272[10]. Does your ban cover: [the same forms of cross-border advertising, promotion and sponsorship entering your territory for which domestic regulation apply?]

N/A

C273. are you precluded by your constitution or constitutional principles from undertaking a comprehensive ban on tobacco advertising, promotion and sponsorship?

No

C274. applying restrictions on all tobacco advertising, promotion and sponsorship?
Yes
C275. applying restrictions on cross-border advertising, promotion and sponsorship originating from your territory with cross-border effects?
Yes
C276. prohibiting those forms of tobacco advertising, promotion and sponsorship that promote a tobacco product by any means that are false, misleading, deceptive or likely to create an erroneous impression about its characteristics, health effects, hazards or emissions?
Yes
C277. requiring that health or other appropriate warnings or messages accompany all tobacco advertising, promotion and sponsorship?
Yes
C278. restricting the use of direct or indirect incentives that encourage the purchase of tobacco products by the public?
Yes
C279. requiring the disclosure to relevant Government authorities of expenditures by the tobacco industry on advertising, promotion and sponsorship not yet prohibited?
No
C2710[1]. restricting tobacco advertising, promotion and sponsorship on: [radio?]
Yes
C2710[2]. restricting tobacco advertising, promotion and sponsorship on: [television?]
Yes
C2710[3]. restricting tobacco advertising, promotion and sponsorship on: [print media?]
Yes
C2710[4]. restricting tobacco advertising, promotion and sponsorship on: [the domestic Internet?]
Yes
C2710[5]. restricting tobacco advertising, promotion and sponsorship on: [the global Internet?]
Yes
C2710[6]. restricting tobacco advertising, promotion and sponsorship on: [other media (please specify below)?]
Yes
C2710[other]. restricting tobacco advertising, promotion and sponsorship on: [Other]
all other communication tools - e.g. leaflets, billboards
C2711[1]. restricting tobacco sponsorship of: [international events and activities?]
Yes
C2711[2]. restricting tobacco sponsorship of: [participants therein?]
Yes
C2712. cooperating with other Parties in the development of technologies and other means necessary to facilitate the elimination of cross-border advertising?
No
C2713. imposing penalties for cross-border advertising equal to those applicable to domestic advertising, promotion and sponsorship originating from your territory in accordance with national law?
Yes

C2714. Please provide a brief description of the progress made in implementing Article 13 (Tobacco advertising, promotion and sponsorship) in the past two years or since submission of your last report.

2017: The Czech Republic has adopted new rules regarding the advertisement on electronic cigarettes. In 2016, the Act No. 40/1995 Coll., on the Regulation of Advertising was amended by the Act No. 180/2016 Coll., which implemented the Directive 2014/40/EU of the European Parliament and of the Council of 3 April 2014 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco and related products and repealing Directive 2001/37/EC. The purpose of this Directive is to eliminate differences between the Member States' laws, regulations and administrative provisions on the manufacture, presentation and sale of tobacco and related products which present obstacles to the smooth functioning of the internal market, including electronic cigarettes and refill containers for electronic cigarettes, and to ensure high level of health protection. Due to this Directive, section 3a), strongly restricting the advertising, promotion and sponsorship on electronic cigarettes and refill containers for electronic cigarettes, was added to the Act No. 40/1995 Coll.

C2715. Have you utilized the "Guidelines for implementation of Article 13 of the WHO FCTC" when developing and implementing policies in this area?

Yes

C2716. Please provide details in the space below or refer to section F of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}&lang=en>

Guidelines for implementation of Article 13 of the WHO FCTC are taken into account during discussions on the issue of the possibility of stronger regulation of the tobacco advertisement.

C2717. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C2718. Please attach the relevant documentation.

C2718[filecount]. filecount - Please attach the relevant documentation.

0

C28. Demand reduction measures concerning tobacco dependence and cessation Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C281. developing and disseminating appropriate, comprehensive and integrated guidelines based on scientific evidence and best practices?

Yes

C282[1]. programmes to promote cessation of tobacco use, including: [media campaigns emphasizing the importance of quitting?]

Yes

C282[2]. programmes to promote cessation of tobacco use, including: [programmes specially designed for underage girls and young women?]

No

C282[3]. programmes to promote cessation of tobacco use, including: [programmes specially designed for women?]

No

C282[4]. programmes to promote cessation of tobacco use, including: [programmes specially designed for pregnant women?]

No

C282[5]. programmes to promote cessation of tobacco use, including: [telephone quitlines?]

Yes

C282[6]. programmes to promote cessation of tobacco use, including: [local events, such as activities related to World No Tobacco Day or National No Smoking Day, if appropriate?]

Yes

C282[7]. programmes to promote cessation of tobacco use, including: [other (please specify)?]

Yes

C282[other]. programmes to promote cessation of tobacco use, including: [Other] trainings of health professionals - for more details please see C2814
C283[1]. design and implementation of programmes aimed at promoting the cessation of tobacco use, in such locations as: [educational institutions?] Yes
C283[2]. design and implementation of programmes aimed at promoting the cessation of tobacco use, in such locations as: [health-care facilities?] Yes
C283[3]. design and implementation of programmes aimed at promoting the cessation of tobacco use, in such locations as: [workplaces?] Yes
C283[4]. design and implementation of programmes aimed at promoting the cessation of tobacco use, in such locations as: [sporting environments?] No
C283[5]. design and implementation of programmes aimed at promoting the cessation of tobacco use, in such locations as: [other (please specify)?] No
C283[other]. design and implementation of programmes aimed at promoting the cessation of tobacco use, in such locations as: [Other]
C284[1]. inclusion of diagnosis and treatment of tobacco dependence and counselling services for cessation of tobacco use in national programmes, plans and strategies for: [tobacco control?] Yes
C284[2]. inclusion of diagnosis and treatment of tobacco dependence and counselling services for cessation of tobacco use in national programmes, plans and strategies for: [health?] Yes
C284[3]. inclusion of diagnosis and treatment of tobacco dependence and counselling services for cessation of tobacco use in national programmes, plans and strategies for: [education?] No
C285. inclusion of programmes on the diagnosis and treatment of tobacco dependence in your health-care system? Yes
C286[1]. Which structures in your health-care system provide programmes for the diagnosis and treatment of tobacco dependence? [primary health care] Yes
C286[2]. Which structures in your health-care system provide programmes for the diagnosis and treatment of tobacco dependence? [secondary and tertiary health care] Yes
C286[3]. Which structures in your health-care system provide programmes for the diagnosis and treatment of tobacco dependence? [specialist health-care systems (please specify below)] Yes
C286[4]. Which structures in your health-care system provide programmes for the diagnosis and treatment of tobacco dependence? [specialized centres for cessation counselling and treatment of tobacco dependence] Yes
C286[5]. Which structures in your health-care system provide programmes for the diagnosis and treatment of tobacco dependence? [rehabilitation centres] No
C286[other]. Which structures in your health-care system provide programmes for the diagnosis and treatment of tobacco dependence? [Other] e.g. Addictologists, Centers of Medical Services of the Military Medical Agency

C287[1]. Are the services provided in these settings covered by public funding or reimbursement schemes? [primary health care]
Partially

C287[2]. Are the services provided in these settings covered by public funding or reimbursement schemes? [secondary and tertiary health care]
Partially

C287[3]. Are the services provided in these settings covered by public funding or reimbursement schemes? [specialist health-care systems (please specify below)]
None

C287[4]. Are the services provided in these settings covered by public funding or reimbursement schemes? [specialized centres for cessation counselling and treatment of tobacco dependence]
Partially

C287[5]. Are the services provided in these settings covered by public funding or reimbursement schemes? [rehabilitation centres]
None

C287[6]. Are the services provided in these settings covered by public funding or reimbursement schemes? [other (please specify below)]
None

C287b. Please provide other details in the space below.

C288[1]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [physicians]
Yes

C288[2]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [dentists]
No

C288[3]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [family doctors]
No

C288[4]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [practitioners of traditional medicine]
No

C288[5]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [other medical professionals (please specify below)]
Yes

C288[6]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [nurses]
Yes

C288[7]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [midwives]
No

C288[8]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [pharmacists]
Yes

C288[9]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [Community workers]
No

C288[10]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [Social workers]
No

C288[11]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [other (please specify)]
Yes
C288[other]. Which health and other professionals are involved in programmes offering treatment for tobacco dependence and counselling services? Health professionals including: [Other]
addictologists, psychiatrists, pneumologists, cardiologists etc.
C289[1]. training on tobacco dependence treatment incorporated into the curricula of health professional training at pre- and post-qualification levels at the following schools: [medical?]
Yes
C289[2]. training on tobacco dependence treatment incorporated into the curricula of health professional training at pre- and post-qualification levels at the following schools: [dental?]
No
C289[3]. training on tobacco dependence treatment incorporated into the curricula of health professional training at pre- and post-qualification levels at the following schools: [nursing?]
No
C289[4]. training on tobacco dependence treatment incorporated into the curricula of health professional training at pre- and post-qualification levels at the following schools: [pharmacy?]
Yes
C289[other]. training on tobacco dependence treatment incorporated into the curricula of health professional training at pre- and post-qualification levels at the following schools: [Other]
addictologists
C2810. facilitating accessibility and/or affordability of pharmaceutical products for the treatment of tobacco dependence?
Yes
C2811. Where and how can these products be legally purchased in your country?
In Pharmacies. Nicotine replacement therapy over the counter (OTC); Bupropion and varenicline: with prescription only.
C2812[1]. Which pharmaceutical products are legally available for the treatment of tobacco dependence in your jurisdiction? [nicotine replacement therapy]
Yes
C2812[2]. Which pharmaceutical products are legally available for the treatment of tobacco dependence in your jurisdiction? [bupropion]
Yes
C2812[3]. Which pharmaceutical products are legally available for the treatment of tobacco dependence in your jurisdiction? [varenicline]
Yes
C2812[4]. Which pharmaceutical products are legally available for the treatment of tobacco dependence in your jurisdiction? [other (please specify)]
No
C2812[other]. Which pharmaceutical products are legally available for the treatment of tobacco dependence in your jurisdiction? [Other]
C2813[1]. Are the costs of these products covered by public funding or reimbursement? [nicotine replacement therapy]
Partially
C2813[2]. Are the costs of these products covered by public funding or reimbursement? [bupropion]
Partially
C2813[3]. Are the costs of these products covered by public funding or reimbursement? [varenicline]
Partially
C2813[4]. Are the costs of these products covered by public funding or reimbursement? [other (please specify below)]
None

C2813b. Please provide other details in the space below.

--

C2814. Please provide a brief description of the progress made in implementing Article 14 (Demand reduction measures concerning tobacco dependence and cessation) in the past two years or since submission of your last report.

There is a legally binding obligation for health professionals to conduct a brief intervention consisting of the timely diagnosis of abuse among persons who use tobacco products which is incorporated in revised version in the above-mentioned new Act No. 65 /2017 Coll. The brief intervention is mostly offered by physicians and increasingly also by nurses. There are specialised courses in place on prevention of harmful use of addictive substances and treatment of addictions is obligatory for all physicians of all branches as a part of specialization trainings (as was aforementioned). The Society for Treatment of Tobacco Dependence (www.SLZT.CZ) provides continuing education in treatment of tobacco dependence for physicians (CME credits of the Czech medical Chamber, one-day courses), nurses (CME credits of the Czech Association of Nurses, one-day course) and pharmacists (CME credits of the Pharmacist's Chamber, 2-day course). It provides also education and regular update for nurses and physicians of Centres for Tobacco-Dependent, including regular conferences at least twice a year. There is a collaboration of nurses from the General University Hospital in Prague and the Society for Treatment of Tobacco Dependence with International Society of Nurses in Cancer Care (www.isncc.org) which is focused on educating nurses in brief interventions. Most of health professions undergo occasional trainings in treatment of tobacco dependence, but it is not systematic. Trainings include treatment of pregnant, psychiatric, adolescent and other disadvantaged smokers, as well.

Tobacco Guidelines for treatment of tobacco dependence (from 2015) are used. (Available on-line: <http://www.vnitrnilekarstvi.eu/vnitрни-lekarstvi-clanek/doporuceni-pro-lecbu-zavislosti-na-tabaku-52291>). New guidelines for psychiatric care, including a chapter about tobacco dependence treatment for psychiatric patients, are ready to be published in 2018.

Intensive treatment is offered within the Centres for Tobacco-Dependent, based in hospitals mostly at pneumology, cardiology, internal clinics - currently 41 Centres across the country (see <http://www.slzt.cz/centra-lecby>). They are under supervision of the Society for Treatment of Tobacco Dependence.

Treatment is also provided by some physicians, pneumologists and other medical specialists. It is not systematic. Treatment can be provided also by addictologists (a official branch of health professionals in the Czech Republic who focus on prevention and treatment of addictive diseases). Addictology services should supplement the existing network of Centres for Tobacco-Dependent in future and could focus on less motivated smokers, etc.

In terms of coverage of treatment by public funding, there are two treatment codes covered by the health insurance companies (60 minutes intervention, 30 minutes follow-up visit). From January 2017, these treatment codes for ambulant patients can be contracted by insurance companies also in some other types of health care facilities (not only in Centres for Treatment of Tobacco Dependence). Legislation adopted in 2013 allows to cover treatment provided by addictologists by health insurance. These agreements also include work with users of tobacco. The treatment service is free of charge apart from the medication for patients. Generally, the pharmacotherapy is not reimbursed by health insurance companies - only some of them financially support pharmacotherapy for their clients treated in the specialized Centres for Tobacco-Dependent and addictologic centres or in certified pharmacies.

Treatment of tobacco dependence is provided also in the Army of the Czech Republic (ACR), in particular on the basis of the Conception of primary prevention of risk behavior at personnel of the Ministry of Defence for the period of 2015 – 2019. It, inter alia, provides for preventive intervention as regards tobacco use.

Czech Pharmacist's Chamber continued to organise program "Smoking Cessation in Pharmacies" in 2016 a 2017.

Phone number of the "Quit line" was changed in 2016 (the new number is 800 350 000) and from 2017, the quitline is called "National". The telephone number is provided by the Office of the Government of the Czech Republic (National Monitoring Centre for Drugs and Addiction), but operated by the NGO "Czech Coalition against Tobacco".

It is available between 10 – 18 hours (more hours per day than in 2016) during working days. It is operated by the NGO "Czech Coalition against Tobacco" with financial support from the Office of the Government of the Czech Republic and of Ministry of Health (as regards promotion of the number).

National Public Health Institute:

In 2016 and 2017, projects "Short Interventions in Practice I" and "Short Intervention in Practice II" were implemented. The projects are implemented as a two-stage intervention with the education of health professionals / students at the first level who subsequently educate patients / clients of health care facilities. This is the "training of trainers" principle. Short intervention is aimed at reducing tobacco consumption as part of the portfolio of risk factors along with alcohol, nutrition and others.

The regional NIPH workplace in Jihlava is run by the Counseling Center for Smoking Cessation for the Vysocina Region.

Department of Addictology, First Faculty of Medicine, Charles University and General University Hospital in Prague:

Besides introducing tobacco cessation interventions into in-patient treatment programme, several studies were conducted in 2016 – 2017 on various populations.

1) ☐ Users of tobacco in GPs practice – evaluation of the impact of a "tobacco ban legislation" that was introduced in mid 2017. A pre-post assessment was conducted with ~140 patients. Results are to be published in specialty journals.

2) ☐ Use of tobacco in the therapeutic communities – the study aimed at the assessment of views of the tobacco problem by treatment staff, mapping of what interventions they use in a day-to-day practice, etc. Results are to be published in specialty journals.

3) ☐ A feasibility study of an eHealth intervention that is based on tobacco relapse management was conducted in 2016 and 2017

with very promising results. A wider implementation is expected in 2018-2019. Results will be published in a specialty journal.
4) An update of an early detection and intervention aimed at Children and Adolescents as Patients in General Practice was conducted – declaring the importance of tobacco problem.

Several hospitals are active in the Health Promoting Hospitals/Smokefree Hospitals Program.

As of 1 July 2017, a national network of non-smoking hospitals of the Czech Republic (official English translation: The National GNTH Network of the Czech Republic) was established at the Ministry of Health, which is now the main and official platform for the non-smoking hospital program in the Czech Republic.

This program associates healthcare facilities with the intent of combating smoking as the most important cause of mortality and morbidity in the population. Worldwide, the Global Network for Tobacco-Free Healthcare Services, which today consists of 24 sub-networks from 16 countries, covers the initiative.

The National GNTH Network of the Czech Republic has currently 5 members and Czech HPH (Health Promoting Hospitals) Network, which is focused on healthy lifestyle and also tobacco control in hospitals, consists of 11 members.

Further campaigns/projects:

There have not been any national specially designed programmes for specific social groups in the past two years.

Campaigns/projects were rather generally focused. There were some local events, mainly related to the World No Tobacco Day, organised by several NGOs every year. There was also a campaign "Last stub out" (Poslední típnutí) organised by the Ministry of Health aiming on new legislation in the area, smoking prevention and promotion of cessation (more details to be found in answer C268).

On the national website www.koureni-zabiji.cz is available, inter alia, map of help (with an overview of services for treatment of tobacco dependence, etc).

C2815. Have you utilized the "Guidelines for implementation of Article 14 of the WHO FCTC" when developing and implementing policies in this area?

Yes

C2816. Please provide details in the space below or refer to section G of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}&=en>

Guidelines for implementation of Article 14 of the WHO FCTC are used e.g. during implementation of the Action plan for the area of tobacco control in the Czech Republic for the period 2015-2018

C2817. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

Explanatory notes:

Note to C288:

Except for physicians, nurses and pharmacists are mostly involved. The theme of tobacco dependence is also included in the education of addictologists.

Note to C2813:

The pharmacotherapy is not reimbursed generally by health insurance companies – only some of them financially support pharmacotherapy for their clients treated in the specialized Centres for Tobacco-Dependent and addictology centres or in certified pharmacies.

Information on National Register of Therapy of Drug users is in C438.

Further information on some related activities to Article 14 (training of health professionals, campaigns etc.) is also mentioned in C268.

C2818. Please attach the relevant documentation.

C2818[filecount]. filecount - Please attach the relevant documentation.

0

C3. MEASURES RELATING TO THE REDUCTION OF THE SUPPLY OF TOBACCO

C3. With reference to Articles 15–17

C31. Illicit trade in tobacco products Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C311. requiring marking of all unit packets and packages of tobacco products and any outside packaging of such products to assist in determining the origin of the product?

Yes

C312. requiring marking of all unit packets and packages of tobacco products and any outside packaging of such products to assist in determining whether the product is legally sold on the domestic market?

Yes

C313. requiring that unit packets and packages of tobacco products for retail and wholesale use that are sold on the domestic market carry the statement: "Sales only allowed in ..." or carry any other effective marking indicating the final destination of the product?

No

C314. developing a practical tracking and tracing regime that would further secure the distribution system and assist in the investigation of illicit trade?

No

C315. requiring that marking is presented in legible form and/or appears in the principal language or languages of the country?

Yes

C316. requiring the monitoring and collection of data on cross-border trade in tobacco products, including illicit trade?

No

C317. facilitating the exchange of this information among customs, tax and other authorities, as appropriate, and in accordance with national law and applicable bilateral and multilateral agreements?

No

C318. enacting or strengthening legislation, with appropriate penalties and remedies, against illicit trade in tobacco products, including counterfeit and contraband cigarettes?

Yes

C319. requiring that confiscated manufacturing equipment, counterfeit and contraband cigarettes and other tobacco products derived from illicit trade are destroyed, using environment-friendly methods where possible, or disposed of in accordance with national law?

Yes

C3110. adopting and implementing measures to monitor, document and control the storage and distribution of tobacco products held or moving under suspension of taxes or duties?

Yes

C3111. enabling the confiscation of proceeds derived from illicit trade in tobacco products?

Yes

C3112. promoting cooperation between national agencies and relevant regional and international intergovernmental organizations in investigations, prosecutions and proceedings, with a view to eliminating illicit trade in tobacco products, with special emphasis on cooperation at regional and subregional levels?

Yes

C3113. licensing or other actions to control or regulate production and distribution in order to prevent illicit trade?

Yes

C3114. Please provide a brief description of the progress made in implementing Article 15 (Illicit trade in tobacco products) in the past two years or since submission of your last report.

Czech Republic has already started the process of accession to the FCTC Protocol which is foreseen to be accomplished in the year 2018.

C3115. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

International co-operation in the field of tax administration is gradually improving. It is based mainly on regular exchange of information, data sharing, usage of the EU electronic system (ELO), and bilateral contacts.

C3116. Please attach the relevant documentation.

C3116[filecount]. filecount - Please attach the relevant documentation.

0

C32. Sales to and by minors Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C321. prohibiting the sales of tobacco products to minors?
Yes

C321a. Please specify the legal age:
18

C322. requiring that all sellers of tobacco products place a clear and prominent indicator inside their point of sale about the prohibition of tobacco sales to minors?
Yes

C323. requiring that, in case of doubt, each seller of tobacco products requests that the purchaser provides appropriate evidence of having reached full legal age?
Yes

C324. banning the sale of tobacco products in any manner by which they are directly accessible, such as open store shelves?
No

C325. prohibiting the manufacture and sale of sweets, snacks, toys or any other objects in the form of tobacco products which appeal to minors?
Yes

C326. prohibiting the sale of tobacco products from vending machines?
No

C327. Do you ensure that tobacco vending machines are not accessible to minors and/or do not promote the sale of tobacco products to minors?
Yes

C328[1]. prohibiting and/or promoting the prohibition of the distribution of free tobacco products: [to the public?]
Yes

C328[2]. prohibiting and/or promoting the prohibition of the distribution of free tobacco products: [to minors?]
Yes

C329. prohibiting the sale of cigarettes individually or in small packets?
Yes

C3210. providing for penalties against sellers and distributors in order to ensure compliance?
Yes

C3211. prohibiting the sales of tobacco products by minors?
Yes

C3212. Please provide a brief description of the progress made in implementing Article 16 (Sales to and by minors) in the past two years or since submission of your last report.

On 31st May 2017 new Act No. 65/2017 Coll., on the protection of health against harmful effects of addictive substances, came into effect. This act replaced Act No. 379/2005 Coll.
New Act No. 65/2017 Coll. contains for example:

- stronger restrictions on the availability of tobacco products, smoking accessories, herbal products for smoking, electronic cigarettes (containing nicotine and nicotine-free), e.g. stricter regulation of the sale of tobacco products by vending machines*, alongside restrictions on the places where tobacco products, electronic cigarettes, etc. can be sold, and more stringent regulations on the distance sale of tobacco products and related products through a communication device (internet sale),
- broadening of the range of control authorities and specification of their competencies in the area of the protection of health against addictive substances,
- broadening of the definition of acts constituting an administrative offence and more stringent penalties for certain administrative offences, e.g. for those who sell a tobacco products or related products to minors, etc.

*According to the section 3 subsection 3 act No. 65/2017 Coll. It shall be prohibited to sell tobacco products, smoking accessories, herbal products for smoking and electronic cigarettes through a vending machine unless it can be excluded that these products will be sold to a person under 18 years of age; for this purpose, the seller selling through a vending machine shall verify the age of the buyer by means of a designated person.

C3213. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C3214. Please attach the relevant documentation.

C3214[filecount]. filecount - Please attach the relevant documentation.
0

C33. Provision of support for economically viable alternative activities Have you adopted and implemented, where appropriate, measures or programmes on any of the following:

C331[1]. promoting economically viable and sustainable alternatives for: [tobacco growers?]
Not applicable

C331[2]. promoting economically viable and sustainable alternatives for: [tobacco workers?]
Not applicable

C331[3]. promoting economically viable and sustainable alternatives for: [tobacco individual sellers?]
Not applicable

C332. Please provide a brief description of the progress made in implementing Article 17 (Provision of support for economically viable alternative activities) in the past two years or since submission of your last report.
not applicable

C333. Have you utilized the "Policy options and recommendations on economically sustainable alternatives to tobacco growing (in relation to Articles 17 and 18 of the WHO FCTC)" when developing and implementing policies in this area?
No

C334. Please provide details in the space below or refer to section I of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}&=en>

C335. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C336. Please attach the relevant documentation.

C336[filecount]. filecount - Please attach the relevant documentation.
0

C4. OTHER MEASURES AND POLICIES

C4. With reference to Articles 18–21

C41. Protection of the environment and the health of persons Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C411[1]. implementing measures in respect of tobacco cultivation within your territory, which take into consideration: [the protection of the environment?]
Not applicable

C411[2]. implementing measures in respect of tobacco cultivation within your territory, which take into consideration: [the health of persons in relation to the environment?]
Not applicable

C412[1]. implementing measures in respect of tobacco manufacturing within your territory, which take into consideration: [the protection of the environment?]

Yes

C412[2]. implementing measures in respect of tobacco manufacturing within your territory, which take into consideration: [the health of persons in relation to the environment?]

Yes

C413. Please provide a brief description of the progress made in implementing Article 18 (Protection of the environment and the health of persons) in the past two years or since submission of your last report.

General rules concerning protection of the environment (integrated pollution prevention and control) and occupational health apply also to manufacturing of tobacco products.

No substantial progress in the past two years.

C414. Have you utilized the "Policy options and recommendations on economically sustainable alternatives to tobacco growing (in relation to Articles 17 and 18 of the WHO FCTC)" when developing and implementing policies in this area?

No

C415. Please provide details in the space below or refer to section I of the additional questionnaire. Response to this question or to the additional questionnaire is voluntary. <https://extranet.who.int/dataform/655321?token={TOKEN}<=en>

C416. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C417. Please attach the relevant documentation.

C417[filecount]. filecount - Please attach the relevant documentation.

0

C42. Liability Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C421[SQ001]. Does your tobacco control legislation contain measures regarding criminal liability for any violations of that tobacco control legislation?

No

C422[SQ001]. Do you have separate criminal liability provisions in relation to tobacco control (outside of the tobacco control legislation)?

Yes

C423[SQ001]. Do you have any civil liability measures that are specific to tobacco control?

No

C424[SQ001]. Do you have any general civil liability provisions that could apply to tobacco control?

Yes

C425[SQ001]. Do you have civil or criminal liability provisions that provide for compensation for adverse health effects and/or for reimbursement of medical, social or other relevant costs?

No

C426[SQ001]. Has any person in your jurisdiction launched any criminal and/or civil liability action, including compensation where appropriate, against any tobacco company in relation to any adverse health effect caused by tobacco use?

No

C427[SQ001]. Have you taken, as appropriate, any legislative, executive, administrative and/or other action against the tobacco industry for full or partial reimbursement of medical, social and other relevant costs related to tobacco use in your jurisdiction?

No

C428. Please provide a brief description of any progress made, as appropriate, in implementing Article 19 (Liability) in the past two years or since submission of your last report.

A significant improvement in prosecuting capabilities was introduced by the act No. 418/2011 Coll. – On Criminal Liability of Legal Persons. This law has substantially changed the basics of criminal liability in the Czech Republic by introducing liability of legal persons for criminal offences.

C429. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

Explanatory notes:

to C422: Although there is no specific criminal offence related to tobacco control legislation, there are general offences covering the more serious forms of offensive behaviour. There are criminal offences of Endangering Public Health by Unhealthy Food and other Objects (Section 156) and its negligent form (Section 157), more extreme cases are covered by criminal offences of Public Menace (Section 272) and Negligent Public Menace (Section 273) incorporated into the Criminal Code (Act No. 40/2009 Coll.).

to C424: One can be awarded damages in case of intentional action contra bonos mores, culpable breach of law or breach of a contract. (Sections 2909 – 2913 of Act No. 89/2012, Civil Code)

C4210. Please attach the relevant documentation.

C4210[filecount]. filecount - Please attach the relevant documentation.

0

C43. Research, surveillance and exchange of information Have you adopted and implemented, where appropriate, legislative, executive, administrative or other measures or have you implemented, where appropriate, programmes on any of the following:

C431[1]. developing and/or promoting research that addresses: [determinants of tobacco consumption?]

Yes

C431[2]. developing and/or promoting research that addresses: [consequences of tobacco consumption?]

Yes

C431[3]. developing and/or promoting research that addresses: [social and economic indicators related to tobacco consumption?]

Yes

C431[4]. developing and/or promoting research that addresses: [tobacco use among women, with special regard to pregnant women?]

Yes

C431[5]. developing and/or promoting research that addresses: [the determinants and consequences of exposure to tobacco smoke?]

Yes

C431[6]. developing and/or promoting research that addresses: [identification of effective programmes for the treatment of tobacco dependence?]

Yes

C431[7]. developing and/or promoting research that addresses: [identification of alternative livelihoods?]

No

C431[other]. developing and/or promoting research that addresses: [Other]

C432. training and support for all persons engaged in tobacco control activities, including research, implementation and evaluation?

No

C433[1]. a national system for epidemiological surveillance of: [patterns of tobacco consumption?]

Yes

C433[2]. a national system for epidemiological surveillance of: [determinants of tobacco consumption?]

Yes

C433[3]. a national system for epidemiological surveillance of: [consequences of tobacco consumption?]

No

C433[4]. a national system for epidemiological surveillance of: [social, economic and health indicators related to tobacco consumption?]

Yes

C433[5]. a national system for epidemiological surveillance of: [exposure to tobacco smoke?]
Yes

C433[other]. a national system for epidemiological surveillance of: [Other]

C434. Please list all surveys, including the year of the survey, that you have undertaken in the past.

Yearly cross-sectional adult population (15+) survey Tobacco use in the Czech Republic (since 1998 - last survey in 2017, publication in 2018);

Global Youth Tobacco Survey (GYTS) 2002, 2007, 2011, 2016;

Global Health Professions Students Survey (GHPSS) 2007, 2011;

Cross-national survey of school students: Health Behavior in School-aged Children (HBSC): 1994, 1998, 2002, 2006, 2010, 2014 ;

European Health Information Survey (EHIS) in the Czech Republic in 1993, 1996, 1999, 2002, 2008 carried out by the Institute of Health Information and Statistics of the Czech Republic. The latest wave of EHIS was performed in the Czech Republic between June 2014 and January 2015. In total, 6.737 interviews were performed with individuals aged 15+. The survey was administered by the Institute of Health Information and Statistics of the Czech Republic in cooperation with the Czech Statistical Office.

National Survey on Substance Use in the Czech Republic in 2016
(Special study targeted on licit and illicit substance use in the Czech Republic in the general population aged 15+ years, N=3601, carried out by the Czech National Monitoring Centre for Drugs and Addictions in collaboration with the MindBridge Consulting research agency in September and November 2016).

- The European School Survey Project on Alcohol and Other Drugs (ESPAD) dated until 1995. The last data collection wave performed in 2015 (N=2738 valid questionnaires for international part of the study). ESPAD 2015 was carried out by Czech National Monitoring Centre for Drugs and Addictions in collaboration with the Focus research agency.

- ESPAD Validation study 2016: ESPAD-like study focusing on substance use and other forms of risky behaviour among 15-16 years old students; study aimed at validation of the trends seen in ESPAD 2015. ESPAD Validation study 2016 was carried out by the Czech National Monitoring Centre for Drugs and Addictions in collaboration with ppm factum research agency, N=2471 valid questionnaires of the ESPAD comparable target group).

- Study Health and Substance Use in Roma Population - study carried out by Czech National Monitoring Centre for Drugs and Addictions in collaboration with ppm factum research agency in 2017, focusing on Roma population, extent and patterns of licit and illicit substance use, gambling, life satisfaction etc., N=546.

C435. Does your country have any plans to repeat any of the above or to undertake a new tobacco survey within three to five years of your last survey? Please provide details in the space below.

Cross-sectional adult population (15+) survey Tobacco use in the Czech republic – yearly; next one – 2018; results of the 2017 survey will be published in August 2018.

The next wave of the European Health Interview Survey (EHIS) will be performed in accordance with the European legislation in 2019 (data collection July – December 2019).

National Survey on Substance Use in the Czech Republic is regularly repeated every 4 years (2012, 2016) and methodologically follows the General Population Survey on Substance Use and Attitudes Towards Substance Use in the Czech Republic carried out in 2008. Next study will be lead in 2020.

ESPAD is regularly repeated every 4 years since 1995 (data collection in 1995, 1999, 2003, 2007, 2011, 2015) – next study will be in 2019.

C436[1]. regional and global exchange of publicly available national: [scientific, technical, socioeconomic, commercial and legal information?]
Yes

C436[2]. regional and global exchange of publicly available national: [information on the practices of the tobacco industry?]
No

C436[3]. regional and global exchange of publicly available national: [information on the cultivation of tobacco?]
No

C437[1]. an updated database of: [laws and regulations on tobacco control?]
No

C437[2]. an updated database of: [information about the enforcement of laws on tobacco control?]
No

C437[3]. an updated database of: [pertinent jurisprudence?]
No

C438. Please provide a brief description of the progress made in implementing Article 20 (Research, surveillance and exchange of information) in the past two years or since submission of your last report.
Surveys on tobacco use in the Czech Republic were carried out by the National Institute of Public Health in 2016 and 2017 (on a yearly basis since 1998).

- new wave of National Survey on Substance Use in the Czech Republic was carried out in 2016, its results were published in 2017 in the National Report on Drug Situation in the Czech Republic 2016

- ESPAD Validation study 2016 was carried out, its results were published in 2017 in the National Report on Drug Situation in the Czech Republic 2016

- European Health Interview Survey (EHIS): data were collected between June 2014 and January 2015. Results were published in 2016 and data on smoking prevalence are published by regions (this was not possible for previous surveys).

- Global Youth Tobacco Survey 2016 (Czech Republic) – results were published in February 2018.

- In 2015 the National Register of Therapy of Drug Users was set up in order to provide data on patient starting and finishing therapy of addiction including contact consulting and resocialization programmes for drug users. Unfortunately, data on patients treated for smoking (2016 – 2017), are very incomplete and underestimated and thus of only limited possibilities of use.

The Ministry of Health in cooperation with other ministries and stakeholders internationally exchanged some information on different tobacco control issues.

C439. If you have any other relevant information pertaining to but not covered in this section, please provide details in the space below.

C4310. Please attach the relevant documentation.

C4310[filecount]. filecount - Please attach the relevant documentation.
0

D. INTERNATIONAL COOPERATION AND ASSISTANCE

D0. Pursuant to Article 21.1(c) and in accordance with Article 26, have you either provided or received financial or technical assistance (be it through unilateral, bilateral, regional, subregional or other multilateral channels, including relevant regional and international intergovernmental or nongovernmental organizations and financial and development institutions) for the development and strengthening of multisectoral, comprehensive tobacco control programmes of developing country Parties and Parties with economies in transition in any of the following areas:

D1[1]. development, transfer and acquisition of technology, knowledge, skills, capacity and expertise related to tobacco control? [Assistance provided]
No

D1[2]. development, transfer and acquisition of technology, knowledge, skills, capacity and expertise related to tobacco control? [Assistance received]
No

D2[1]. provision of technical, scientific, legal and other expertise to establish and strengthen national tobacco control strategies, plans and programmes? [Assistance provided]
No

D2[2]. provision of technical, scientific, legal and other expertise to establish and strengthen national tobacco control strategies, plans and programmes? [Assistance received]
No

D3[1]. appropriate training or sensitization programmes for appropriate personnel in accordance with Article 12? [Assistance provided]
No

D3[2]. appropriate training or sensitization programmes for appropriate personnel in accordance with Article 12? [Assistance received]
No

D4[1]. provision of the necessary material, equipment and supplies, as well as logistic support, for tobacco control strategies, plans and programmes? [Assistance provided]
No

D4[2]. provision of the necessary material, equipment and supplies, as well as logistic support, for tobacco control strategies, plans and programmes? [Assistance received]
No

D5[1]. identification of methods for tobacco control, including comprehensive treatment of nicotine addiction? [Assistance provided]
No

D5[2]. identification of methods for tobacco control, including comprehensive treatment of nicotine addiction? [Assistance received]
No

D6[1]. promotion of research to increase the affordability of comprehensive treatment of nicotine addiction? [Assistance provided]
No

D6[2]. promotion of research to increase the affordability of comprehensive treatment of nicotine addiction? [Assistance received]
No

D7. Please identify the Party or Parties from which assistance was received or to which assistance was provided.

D8. Please provide information about any assistance provided or received in the space below.

D9. If you have not received or provided assistance in any of the aforementioned areas, please identify any financial or technical assistance that may be under consideration, if appropriate.
World Health Organization under Biennial Collaborative Agreement between the Ministry of Health of the Czech Republic and the Regional Office for Europe of WHO (2016 – 2017) provided financial support to raise awareness of the meaning of new combined health warnings which are placed on the packages of tobacco products from September 2016. This activity included also promotion of national websites for smoking cessation support www.koureni-zabiji.cz.
World Health Organization - the Regional Office for Europe and the United States Centres for Disease Control and Prevention (CDC) provided technical and financial support to the National Institute of Public Health in Prague to participate in the 2016 Global Youth Tobacco Survey (GYTS).

D10. Have you encouraged relevant regional and international intergovernmental organizations and financial and development institutions in which you are represented to provide financial assistance for developing country Parties and for Parties with economies in transition to assist them in meeting their obligations under the Convention?
No

D11. Please provide details in the space below.

E. PRIORITIES AND COMMENTS

E1. What are the priorities for implementation of the WHO Framework Convention on Tobacco Control in your jurisdiction?
The implementation of the Action plan for the area of tobacco control in the Czech Republic for the period 2015-2018 and preparation of the new plan. Focus on the implementation of the Guidelines for implementation of Article 13 of the WHO Framework Convention on Tobacco Control. The accession to the Protocol to eliminate Illicit Trade in Tobacco Products FCTC.
E2. Have you identified any specific gaps between the resources available and the needs assessed for implementing the WHO Framework Convention on Tobacco Control?
Yes
E3. Please provide details in the space below.
There are limitations in resources as regards full implementation of the Action plan for the area of tobacco control in the Czech Republic for the period 2015-2018, etc.
E4. What, if any, are the constraints or barriers, other than lack of resources, you have encountered in implementing the Convention?
For example lack of personal capacities at the Ministry of Health, the Office of the Government, etc. for tobacco control measures.
E5[1]. Do you have any of the following products available on your national tobacco market? [smokeless tobacco products]
Yes
E5[2]. Do you have any of the following products available on your national tobacco market? [water pipe tobacco]
Yes
E5[3]. Do you have any of the following products available on your national tobacco market? [ENDS/ENNDS]
Yes
E5[other]. Do you have any of the following products available on your national tobacco market? [Other]
Heated/Heat not burn tobacco products
E6[1]. Have you adopted and implemented any policy or regulation that is specific to the following tobacco products? [smokeless tobacco products]
Yes
E6[2]. Have you adopted and implemented any policy or regulation that is specific to the following tobacco products? [water pipe tobacco]
No
E6[3]. Have you adopted and implemented any policy or regulation that is specific to the following tobacco products? [ENDS/ENNDS]
Yes
E6[other]. Have you adopted and implemented any policy or regulation that is specific to the following tobacco products? [Other]
Heated/Heat not burn tobacco products
E7. If you have any relevant information related to questions E5 and E6, please provide details in the space below.
Smokeless tobacco products, ENDS/ENNDS are covered specifically to different extent by current national legislation. For example, as regards smokeless tobacco products, there are provisions related to packaging and labelling, prohibition of sale of snus etc. in place. New legislation, transposing EU Tobacco products Directive (2014/40/EU), brought more specific regulation mainly as regards of ENDS/ENNDS, new tobacco products (HNB tobacco products) and herbal products for smoking. Czech Republic/the Office of the Government/ is considering HNB tobacco products, ENDS and ENNDS as possible harm reduction tool for current smoker in order to enhance drug policy documents for upcoming period to include wider range of harm reduction measures.
E8. Please provide any other relevant information not covered elsewhere that you consider important.
This report was completed by the Ministry of Health of the Czech Republic in close cooperation with other relevant ministries and the Office of the Government of the Czech Republic (coordinated within the inter-ministerial Working Group for the Comprehensive Protection against Harm caused by tobacco) and with other stakeholders including the National Public Health Institute and nongovernmental organizations.

E9. Your suggestions for further development and revision of the reporting instrument:

The format of final version of core questionnaire of the reporting instrument of WHO FCTC which was published in 2016 could be next time more reader-friendly (especially as regards presentation of prevalence data, etc.).
Next reporting instrument should reflect the existence of electronic cigarettes and new tobacco products on the market (heated tobacco products) more – e.g. as regards prevalence of use.