

Informatie STIVORO voor Implementation Report FCTC

2.1.1 Smoking prevalence in the adult population

	Prevalence (%)	Average number of the most-consumed smoking tobacco products used per day
Males		
Current smokers	29.5	14.6
Daily smokers	22.4	16.2
Occasional smokers	7.1	-
Former smokers	37.3	-
Never smokers	33.2	-
Females		
Current smokers	25.9	14.1
Daily smokers	20.7	15.8
Occasional smokers	5.2	-
Former smokers	31.6	-
Never smokers	42.5	-
Total		
Current smokers	27.7	14.4
Daily smokers	21.5	16.0
Occasional smokers	6.11	-
Former smokers	34.4	-
Never smokers	37.9	-

2.1.1.1 Smoking tobacco products included in calculating prevalence

Cigarettes, roll-your-own, pipe, cigars

2.1.1.2 Age range

15 years and older

2.1.1.3 Year and data source

2009 Dutch Continuous Survey of Smoking Habits

2.1.1.4 Definitions of smokers

Current smoker = Answers 'yes' to 'do you ever smoke or not at all?'

Daily smoker = Current smoker who answers 'yes' to 'do you smoke daily?'

Occasional smoker = Current smoker who answers 'no' to 'do you smoke daily?'

Former smoker = Answers 'no' to 'do you ever smoke or not at all?' and 'yes' to 'have you smoked in the past?'

Never smoker = Answers 'no' to 'do you ever smoke or not at all?' and 'no' to 'have you smoked in the past?'

2.1.1.5 Explanation of trend in smoking prevalence in past three years

The smoking prevalence decreased from 27.5% in 2007 to 26.7% in 2008 and then increased again to 27.7% in 2009.

2.1.2 Smoking prevalence in the adult population by age groups

	Prevalence (%)
Males	
15-24	31.9
25-34	37.1
35-44	34.4
45-54	32.3
55-64	29.6
65-74	17.0
75+	11.0
Females	
15-24	26.7
25-34	28.2
35-44	27.1
45-54	31.5
55-64	27.3
65-74	13.5
75+	8.2
Total	
15-24	29.2
25-34	32.1
35-44	30.6
45-54	31.9
55-64	28.4
65-74	15.4
75+	9.9

2.1.2.1 Smoking tobacco products included in calculating prevalence

Cigarettes, roll-your-own, pipe, cigars

2.1.2.2 Year and data source

2009 Dutch Continuous Survey of Smoking Habits

2.1.2.3 Explanation of trend in smoking prevalence in past three years by age groups

In most age groups there is not much change in smoking prevalence in the past three years. People aged 15-24 and 55-64 smoke considerably more in 2009 than in 2008.

	2007	2008	2009
15-24	25.4%	24.5%	29.2%
25-34	32.8%	31.4%	32.1%
35-44	31.3%	29.7%	30.6%
45-54	32.7%	33.9%	31.9%
55-64	26.0%	25.3%	28.4%
65-74	14.7%	14.0%	15.4%
75+	11.6%	9.8%	9.9%

2.1.3, 2.1.4 Prevalence of smokeless tobacco use in the adult population

We have no data on this

2.1.5 Tobacco use by ethnic groups

We have no data on this

2.1.6 Tobacco use by young persons

	Prevalence (%)
Boys	
10-12	2.5
13-14	13.4
15-16	30.8
17-19	40.7
Girls	
10-12	1.3
13-14	17.0
15-16	37.1
17-19	34.9
Total	
10-12	1.8
13-14	15.3
15-16	34.1
17-19	37.8

2.1.6.1 Smoking tobacco products included in calculating prevalence

Cigarettes, roll-your-own

2.1.6.2 Year and data source

2009 Dutch Youth Smoking Monitor

2.1.6.3 Definition of smoker

Has smoked in past four weeks

2.1.6.4 Explanation of trend in smoking prevalence in young persons in past three years

The smoking prevalence among young persons increased from 22.1% in 2007 to 23.8% in 2008 and then decreased again to 21.5% in 2009.