

Table 1: Distribution of Women using Tobacco products during the last pregnancy by age, 2008 FHU Prams-like survey.

Tobacco Use*	Age	Freq	Percent
Using Tobacco	20	3	2.9
	21	4	3.9
	22	4	3.9
	23	3	2.9
	24	1	1.0
	25	4	3.9
	26	6	5.8
	27	3	2.9
	28	4	3.9
	29	3	2.9
	31	4	3.9
	32	1	1.0
	33	1	1.0
	35	1	1.0
	36	3	2.9
	38	2	1.9
	39	3	2.9
	40	3	2.9
	41	2	1.9
	42	2	1.9
43	1	1.0	
	No data	8	7.8
<b>Total Using Tobacco</b>		<b>66</b>	<b>64.1</b>
Quit Tobacco	18	2	1.9
	21	3	2.9
	23	1	1.0
	26	1	1.0
	27	2	1.9
	30	1	1.0
	31	1	1.0
	40	1	1.0
	42	1	1.0
		No data	1
<b>Total Quit Tobacco Use</b>		<b>14</b>	<b>13.6</b>
<b>Not Using Tobacco</b>		<b>23</b>	<b>22.3</b>
<b>Total Not Using Tobacco</b>		<b>37</b>	<b>35.9</b>
<b>Total Surveyed Women</b>		<b>103</b>	<b>100.0</b>

\*Question #21. Did you change your tobacco use during this most recent pregnancy?  
 Question did not ask how respondent use tobacco, whether smoked or chewed.

Prepared by:  1/19/10  
 Joy Mascardo  
 Biostatistician

Noted by:   
 Berry Moon Watson  
 FHU Administrator