


 WHO logo

[Search](#)

- [Home](#)
- [About WHO](#)
- [Countries](#)
- [Health topics](#)
- [Publications](#)
- [Data and statistics](#)
- [Programmes and projects](#)
- [STEPwise approach](#)
- [WHO Global InfoBase](#)
- [Country Pages](#)
- [Search Surveys](#)
 - [Seach By Country](#)
 - [Seach By Indicator](#)
- [Health Topics](#)
- [Compare countries](#)
- [Glossary](#)
- [FAQ \(Help\)](#)
- [Private Login](#)




All Data


 [print](#) [printer friendly copy](#)

 Data for saving live


Tobacco Use


WHAT'S BELOW?

-  [Tobacco Use Introduction \(here\)](#)
-  Report contents, including survey information, data tables, and optional graphs [\(here\)](#)
-  InfoBase links to other related resources for Tobacco Use [\(here\)](#)

 Tobacco Use Introduction

Tobacco use (including smoking) is causally linked to a number of chronic diseases including several cancers, chronic obstructive pulmonary disease (COPD), and cardiovascular diseases. There is also increasing evidence of an association between smoking and tuberculosis, especially in China and India. A recent study suggests that 4.83 million deaths were attributable to smoking in 2000 (Ezzati and Lopez 2004). Over half of these (2.69 million deaths) were among people aged 30 to 69 years, resulting in a large number of premature deaths. Comparisons between developing and developed countries showed equal numbers of deaths due to tobacco but the burden of disease associated with smoking was much higher in developing countries. This is explained by the fact that smoking related deaths occur at younger ages in developing countries, accounting for a larger loss of life from premature mortality in developing countries relative to developed countries.

 Report contents, including survey information, data tables, and optional graphs

 **Summary of Survey/Information Source**

The information below is associated with the following survey:

Title: National Family Health Study **Year:** 1995

Coverage: national

[Click here to view bibliography, methodology and extended details on the information](#)



[+] click to enlarge graph

United Arab Emirates

Tobacco Indicator Information (Definitions, Quantities, etc.)

Data Type: **prevalence**





Definition: **daily user**

Tobacco Type: **cigarette (general/unspecified)**

<input checked="" type="checkbox"/> male Males			
Age Group <input checked="" type="checkbox"/> help	Sample Size (n) <input checked="" type="checkbox"/> help	Prevalence (%) <input checked="" type="checkbox"/> help	95 % CI <input checked="" type="checkbox"/> help
15-19	3,412	6.2	-
20-29	3,418	23.6	-
30-39	1,582	29.8	-
40-49	1,312	26.4	-
50-59	1,042	21.9	-
60-69	807	14.8	-
70+	551	6.5	-
15+	12,124	18.3	17.6-19

<input checked="" type="checkbox"/> female Females			
Age Group <input checked="" type="checkbox"/> help	Sample Size (n) <input checked="" type="checkbox"/> help	Prevalence (%) <input checked="" type="checkbox"/> help	95 % CI <input checked="" type="checkbox"/> help
15-19	3,360	0.1	-
20-29	3,648	0.3	-
30-39	2,373	0.5	-
40-49	1,276	0.7	-
50-59	1,236	0.6	-
60-69	531	1.3	-
70+	473	1.5	-
15+	12,897	0.4	0.3-0.5

<input checked="" type="checkbox"/> both Both Sexes			
Age	Sample Size	Prevalence	95 %


Group 	(n) 	(%) 	CI 
15-19	6,772	3.1	-
20-29	7,066	11.6	-
30-39	3,955	12.2	-
40-49	2,588	13.7	-
50-59	2,278	10.4	-
60-69	1,338	9.5	-
70+	1,024	4.2	-
15+	25,021	9.1	8.7-9.5

Notes:

1. Lines in **bold** indicate the value represents a "Total Age Group"
2. The "+" indicates the age range goes to the upper boundary
3. Total age group values do not appear on graphs as they are not directly comparable to age specific values.
4. If you find information that does not appear correct, please direct your feedback to us using the form below.



InfoBase links to other related resources for Tobacco Use
Click [here](#) to search all surveys available for a country of your choosing and Tobacco Use



[Employment](#) | [Other UN Sites](#) | [Search](#) | [Suggestions](#) | [RSS](#) | [Privacy](#)
[© World Health Organization. All rights reserved](#)